



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Strawberry Ice, Nicotine Salicylate Containing Liquid, 20mg/mL

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: Strawberry Ice (Contains:4-Hydroxy-2,5-dimethyl-3(2H)-furanone (Furaneol), Nicotine Salicylate)

Other identifiers: None

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product uses: For use in electronic cigarette devices

1.3 Details of the supplier of the safety data sheet

Company name: Dinner Lady Fam Ltd

Company address: GM House
Wilkinson Way
Blackburn
BB1 2EH

Contact: Regulatory Affairs

E-Mail address: compliance@vapedinnerlady.com

Company phone: +44 (0)1254 865915

1.4 Emergency telephone number

Emergency phone: CHEMTREC 24-hour: +1-703-741-5500

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Class and category of Acute Toxicity - Oral Category 3

danger: Acute Toxicity - Dermal Category 3

Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Long-term Hazard Category 3

H301, Toxic if swallowed.

H311, Toxic in contact with skin.

H317, May cause an allergic skin reaction.

H412, Harmful to aquatic life with long lasting effects.

2.2 Label elements

Signal word: Danger

Hazard statements: H301, Toxic if swallowed.

Classification under H311, Toxic in contact with skin.

Regulation (EC) No H317, May cause an allergic skin reaction.

1272/2008 H412, Harmful to aquatic life with long lasting effects.



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Strawberry Ice, Nicotine Salicylate Containing Liquid, 20mg/mL

Supplemental Information:

EUH208, Contains Citral. May produce an allergic reaction.

Precautionary statements:

P261, Avoid breathing vapour or dust.
P264, Wash hands and other contacted skin thoroughly after handling.
P270, Do not eat, drink or smoke when using this product.
P272, Contaminated work clothing should not be allowed out of the workplace.
P273, Avoid release to the environment.
P280, Wear protective gloves/eye protection/face protection.
P301/310, IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302/352, IF ON SKIN: Wash with plenty of soap and water.
P312, Call a POISON CENTRE or doctor/physician if you feel unwell.
P330, Rinse mouth.
P333/313, If skin irritation or rash occurs: Get medical advice/attention.
P361, Remove/Take off immediately all contaminated clothing.
P363, Wash contaminated clothing before reuse.
P405, Store locked up.
P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Pictograms:



Other hazards:

None



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Strawberry Ice, Nicotine Salicylate Containing Liquid, 20mg/mL

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008
Nicotine Salicylate	29790-52-1	249-852-7		1-<5%	ATO 2-ATD 1-AT1 2-EH C2;H300-H310-H330-H411,-
Citral	5392-40-5	226-394-6		0.1-<1%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-
4-Hydroxy-2,5-dimethyl-3(2H)-furanone	3658-77-3	222-908-8		0.1-<1%	EDI 2-SS 1A;H317-H319,-

Substances with Community workplace exposure limits:

Name	CAS	EC	%
Glycerol	56-81-5	200-289-5	1-<5%
Propylene glycol	57-55-6	200-338-0	20-<50%
Vegetable Glycerine	56-81-5	200-289-5	20-<50%

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%: Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water.

Call a POISON CENTRE or doctor/physician if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Toxic if swallowed.

Toxic in contact with skin.

May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Strawberry Ice, Nicotine Salicylate Containing Liquid, 20mg/mL

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

For use in electronic cigarette devices: Use in accordance with good manufacturing and industrial hygiene practices.



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Strawberry Ice, Nicotine Salicylate Containing Liquid, 20mg/mL

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description	Value
Propylene glycol	57-55-6	200-338-0	Long-term exposure limit (8-hour TWA) (mg/m ³)	474
			Long-term exposure limit (8-hour TWA) (ppm)	150
Vegetable Glycerine	56-81-5	200-289-5	Long-term exposure limit (8-hour TWA) (mg/m ³)	10

8.2 Exposure Controls

Eye/face protection

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin Protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves must satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact Material: butyl-rubber

Minimum layer thickness: 0.3 mm

Break through time: 480 min

Material tested: Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0.4 mm

Break through time: 30 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

Data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Strawberry Ice, Nicotine Salicylate Containing Liquid, 20mg/mL

exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material. Also refer to Sections 2 and 7.

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Form: Viscous Liquid Colour: Clear/ Pale Yellow
Odour:	Fragrant/Fruity/Sweet
Odour threshold:	Not applicable
pH:	Not tested
Melting point / freezing point:	Not tested
Initial boiling point / range:	Not tested
Flash point:	≥ 93.3 °C
Evaporation rate:	No data available
Flammability (solid, gas):	Does not apply, substance is liquid
Upper/lower flammability or explosive limits:	Does not apply, substance is not flammable or explosive
Vapour pressure:	No data available
Vapour density:	No data available
Relative density:	~1.18-1.20 (at 20°C)
Solubility(ies):	Not applicable
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	Does not apply, testing is technically not possible
Viscosity:	No data available
Explosive properties:	Does not apply, substance is not explosive. There are no chemical groups associated with explosive properties
Oxidising properties:	Does not apply, substance is not oxidising. There are no chemical groups associated with oxidising properties
9.2 Other information:	None available



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Strawberry Ice, Nicotine Salicylate Containing Liquid, 20mg/mL

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity: Acute Toxicity - Oral Category 3

Acute Toxicity - Dermal Category 3

Acute Toxicity Oral 250

Acute Toxicity Dermal 250

Acute Toxicity Inhalation Not Available

Skin corrosion/irritation: Based on available data the classification criteria are not met.

Serious eye damage/irritation: Based on available data the classification criteria are not met.

Respiratory or skin sensitisation: Sensitization - Skin Category 1

Germ cell mutagenicity: Based on available data the classification criteria are not met.

Carcinogenicity: Based on available data the classification criteria are not met.

Reproductive toxicity: Based on available data the classification criteria are not met.

STOT-single exposure: Based on available data the classification criteria are not met.

STOT-repeated exposure: Based on available data the classification criteria are not met.

Aspiration hazard: Based on available data the classification criteria are not met.



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Strawberry Ice, Nicotine Salicylate Containing Liquid, 20mg/mL

Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Nicotine Salicylate	29790-52-1	249-852-7	5	5	0.5	Not available

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available

12.3 Bioaccumulative potential: Not available

12.4 Mobility in soil: Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

14.1 UN number: UN2810

14.2 UN Proper Shipping Name: TOXIC LIQUID, ORGANIC, N.O.S. (Nicotine Salicylate)

14.3 Transport hazard class(es): 6.1

Sub Risk: -

14.4. Packing Group: III

14.5 Environmental hazards: Not environmentally hazardous for transport

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Strawberry Ice, Nicotine Salicylate Containing Liquid, 20mg/mL

Section 16. Other information

Concentration % Limits: EH C3=29.08% SS 1=99.75%

Total Fractional Values: EH C3=3.44 SS 1=1.00

Key to revisions:

Workplace exposure limits

Key to abbreviations:

Abbreviation	Meaning
AH 1	Aspiration Hazard Category 1
ATD 1	Acute Toxicity - Dermal Category 1
ATD 4	Acute Toxicity - Dermal Category 4
ATI 2	Acute Toxicity - Inhalation Category 2
ATO 2	Acute Toxicity - Oral Category 2
EDI 2	Eye Damage / Irritation Category 2
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
FL 2	Flammable Liquid, Hazard Category 2
FL 3	Flammable Liquid, Hazard Category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H300	Fatal if swallowed.
H304	May be fatal if swallowed and enters airways.
H310	Fatal in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
P210	Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P233	Keep container tightly closed.



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Strawberry Ice, Nicotine Salicylate Containing Liquid, 20mg/mL

P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing vapour or dust.
P262	Do not get in eyes, on skin or on clothing.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P284	Wear respiratory protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302/350	IF ON SKIN: Gently wash with plenty of soap and water.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P361	Remove/Take off immediately all contaminated clothing.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/233	Store in a well-ventilated place. Keep container tightly closed.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
SCI 2	Skin Corrosion / Irritation Category 2
SS 1A	Sensitization - Skin Category 1A



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Strawberry Ice, Nicotine Salicylate Containing Liquid, 20mg/mL

SS 1B	Sensitization - Skin Category 1B
-------	----------------------------------

Section 17. Legal disclaimer

The information provided in this safety data sheet is correct/accurate and represents the best information available to us – and believed to be reliable – at the time of publication. This information is given in good faith without any representation or warranty, expressed or implied, regarding its accuracy or correctness and we assume no liability resulting from its use.

The customer must satisfy themselves that the product is entirely suitable for their particular purposes/use. Although certain hazards may be described we cannot predict that these are the only hazards, or combination of hazards, that may exist in a (user's) workplace. In no event shall Dinner Lady Fam be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Dinner Lady Fam has been advised of the possibility of such damages. This MSDS, therefore, forms a component only of a risk assessment carried out by, or on behalf of, the user.