

Printing date 19.07.2023

Version number 1

Report No.: ELE2307C10985

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: ELFBAR ELFA PRO Watermelon 0 mg/ml

· Trade Mark: ELFBAR

· Flavour: Watermelon · Nicotine Conc.: 0 mg/ml

· UFI: TK5Y-WD0X-XH1S-DM56

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Application of the substance / the mixture E-liquid used in E-cigarette

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Imiracle (ShenZhen) Technology Co., Ltd

Room 1606, Office Building T5, Qianhai China Resources Financial Center, No. 5035 Menghai Avenue,

Nanshan Subdistrict, Qianhai Shenzhen-Hongkong Cooperation Zone, Shenzhen, China

Contact: Nash

Tel:+86 (0)755-29875010

Email: nash.cui@heavengifts.com

· Further information obtainable from: Imiracle (ShenZhen) Technology Co., Ltd

· 1.4 Emergency telephone number:

Contact: Nash

Tel:+86 (0)755-29875010

**GERMANY** 

Poison Center Berlin - Institute of Toxicology

Tel: +49 030 192 40

#### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labeled according to the CLP regulation.

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labelling:

4-Hydroxy-2,5-dimethyl-3(2H)-furanone

(R)-p-mentha-1,8-diene

· Hazard statements

H317 May cause an allergic skin reaction.

(Contd. on page 2)





Printing date 19.07.2023 Version number 1 Report No.: ELE2307C10985

Trade name: ELFBAR ELFA PRO Watermelon 0 mg/ml

(Contd. of page 1)

#### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

*P103* Read carefully and follow all instructions.

P272 Contaminated work clothing should not be allowed out of the workplace.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

### · 2.3 Other hazards

- · Results of PBT and vPvB assessment
- $\cdot$  **PBT:** Not applicable.
- · vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous compone	ents:	
CAS: 57-55-6	Propylene glycol	50.7%
EINECS: 200-338-0	substance with a Community workplace exposure limit	
CAS: 56-81-5	glycerol	41.0%
EINECS: 200-289-5	substance with a Community workplace exposure limit	RA
CAS: 105-54-4	ethyl butyrate	2.07%
EINECS: 203-306-4	🚸 Flam. Liq. 3, H226; 伙 Eye Irrit. 2, H319	
CAS: 51115-67-4	2-Isopropyl-N,2,3-trimethylbutyramide	1.4%
EINECS: 256-974-4	<b>♦</b> Acute Tox. 4, H302	
CAS: 123-86-4	n-butyl acetate	1.03%
EINECS: 204-658-1	🚸 Flam. Liq. 3, H226; ᡧ STOT SE 3, H336, EUH066	
CAS: 3658-77-3	4-Hydroxy-2,5-dimethyl-3(2H)-furanone	0.17%
EINECS: 222-908-8	💠 Eye Irrit. 2, H319; Skin Sens. 1A, H317	
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	0.12%
EINECS: 227-813-5	<ul> <li>Flam. Liq. 3, H226;</li> <li>Asp. Tox. 1, H304;</li> <li>Aquatic Acute 1, H400;</li> <li>Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412</li> </ul>	

· Non-hazardous com	ponents	
CAS: 7452-79-1	ethyl 2-methylbutyrate	0.87%
EINECS: 231-225-4	♦ Flam. Liq. 3, H226	
CAS: 68527-74-2	Vanillin PGA	0.5%
CAS: 121-33-5	vanillin	0.4%
EINECS: 204-465-2		
CAS: 928-96-1	cis-3-Hexenol	0.38%
EINECS: 213-192-8	♦ Flam. Liq. 3, H226; ♦ Eye Irrit. 2, H319	
CAS: 123-92-2	isopentyl acetate	0.3%
EINECS: 204-662-3	V 1 tumi Etq. e, 11220, Ecitodo	
CAS: 706-14-9	gamma-Decalactone	0.29%
EINECS: 211-892-8		

(Contd. on page 3)



Printing date 19.07.2023 Version number 1 Report No.: ELE2307C10985

#### Trade name: ELFBAR ELFA PRO Watermelon 0 mg/ml

K	KN KN	(Contd. o	f page 2)	
CAS: 74094-61-4	2-heptyl-4-methyl-1,3-dioxolane		0.25%	
CAS: 100-51-6	Benzyl alcohol		0.15%	
EINECS: 202-859-9	♠ Acute Tox. 4, H302; Acute Tox. 4, H332			
CAS: 4940-11-8	Ethyl maltol	EN	0.14%	
EINECS: 225-582-5	♠ Acute Tox. 4, H302			
CAS: 110-93-0	6-Methyl-5-hepten-2-one		0.12%	
EINECS: 203-816-7	♦ Flam. Liq. 3, H226			
CAS: 141-78-6	ethyl acetate		0.11%	
EINECS: 205-500-4	🚸 Flam. Liq. 2, H225; ᡧ Eye Irrit. 2, H319; STOT	SE 3, H336, EUH066		

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters

Mouth respiratory protective device.

Wear fully protective suit.

# SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Avoid contact with eyes.

Avoid contact with skin.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

(Contd. on page 4)





Printing date 19.07.2023 Version number 1 Report No.: ELE2307C10985

Trade name: ELFBAR ELFA PRO Watermelon 0 mg/ml

(Contd. of page 3)

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls	/personal	protection
------------------------------	-----------	------------

· 8.1	Control	parameters
-------	---------	------------

57-55-6 Propylene g	lycol		
MAK (Germany)	als Dampf und Aerosol;vgl.Abschn.IIb und Xc		
WEL (Great Britain)	Long-term value: 474* 10** mg/m³, 150* ppm *total vapour and particulates **particulates		
56-81-5 glycerol			
VL (Belgium)	Long-term value: 10 mg/m³ (brouillard)		
AGW (Germany)	Long-term value: 200 E mg/m³ 2 (1);DFG, Y		
VLEP (France)	Long-term value: 10 mg/m³		
WEL (Great Britain)	Long-term value: 10 mg/m³		
TWA (Greece)	Long-term value: 10 mg/m³		
123-86-4 n-butyl ace	tate	KR	
IOELV (EU)	Short-term value: 723 mg/m³, 150 ppm Long-term value: 241 mg/m³, 50 ppm		
MAK (Austria)	Short-term value: 480 mg/m³, 100 ppm Long-term value: 241 mg/m³, 50 ppm		
VL (Belgium)	Short-term value: 712 mg/m³, 150 ppm Long-term value: 238 mg/m³, 50 ppm		
AGW (Germany)	Long-term value: 300 mg/m³, 62 ppm 2(I);AGS, Y		
VLEP (France)	Short-term value: 723 mg/m³, 150 ppm Long-term value: 241 mg/m³, 50 ppm		

(Contd. on page 5)



Printing date 19.07.2023 Version number 1 Report No.: ELE2307C10985

Trade name: ELFBAR ELFA PRO Watermelon 0 mg/ml

K	KN KN	KN	(Contd. of page 4)
WEL (Great Britain)	Short-term value: 966 mg/m³, 200 ppm Long-term value: 724 mg/m³, 150 ppm		
TWA (Greece)	Short-term value: 723 mg/m³, 150 ppm Long-term value: 241 mg/m³, 50 ppm		
5989-27-5 (R)-p-mei	ntha-1,8-diene		
AGW (Germany)	Long-term value: 28 mg/m³, 5 ppm 4(II);DFG, H, Sh, Y		

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not required.
- · Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

# · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

Goggles recommended during refilling

- · Body protection:
- · Other

If this product contains ingredients with exposure limits, personal, workplace, or biological monitoring may be required to determine the effectiveness of ventilation or other control measures and/or the need to use respirators. Reference should be made to European Standard EN 689 for methods of assessing exposure to chemicals through inhalation and to national guides for methods of determining hazardous substances.

EU





Report No.: ELE2307C10985 Printing date 19.07.2023 Version number 1

Trade name: ELFBAR ELFA PRO Watermelon 0 mg/ml

(Contd. of page 5)

· 9.1 Information on basic physical and chemical properties

**General Information** 

Physical state Fluid · Colour: Light brown · Odour: Watermelon Odour threshold: Data not available. · Melting point/freezing point: Data not available.

· Boiling point or initial boiling point and boiling

Data not available. range · Flammability Data not available.

· Lower and upper explosion limit

Data not available. · Lower: Data not available. · Upper: · Flash point: >120°C

· Decomposition temperature: Data not available.

· pH at 20°C 5.3

· Viscosity:

· Kinematic viscosity Data not available. · Dynamic: Data not available. ·Solubility

· water: Data not available. Partition coefficient n-octanol/water (log value) Data not available. · Vapour pressure: Data not available.

· Density and/or relative density

Density at 20°C: 1.1064 g/cm<sup>3</sup> · Relative density Data not available. · Vapour density Data not available.

· 9.2 Other information

· Appearance:

· Form: Liquid

· Important information on protection of health and

environment, and on safety.

Product is not selfigniting. Ignition temperature: · Explosive properties: Data not available.

Change in condition

Evaporation rate Data not available.

· Information with regard to physical hazard classes

Data not available. **Explosives** · Flammable gases Data not available.

Void · Aerosols

Data not available. Oxidising gases Data not available. Data not available. Gases under pressure · Flammable liquids Data not available. · Flammable solids Data not available. Self-reactive substances and mixtures Data not available. · Pyrophoric liquids Data not available. Pyrophoric solids Data not available.

Self-heating substances and mixtures Data not available.

(Contd. on page 7)





Printing date 19.07.2023 Version number 1 Report No.: ELE2307C10985

Trade name: ELFBAR ELFA PRO Watermelon 0 mg/ml

(Contd. of page 6)

· Substances and mixtures, which emit flammable

gases in contact with water

Oxidising liquids

Oxidising solids

Organic peroxides

Corrosive to metals

Data not available.

#### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

ATE (Acu	te Toxicity	Estimates)			
Oral	LD50	35,714 mg/kg			
57-55-6 P	ropylene g	lycol	K	KR	
Oral	LD50	2,000 mg/kg (rat)			
Dermal	LD50	20,800 mg/kg (rabbit)			
56-81-5 gl	lycerol				
Oral	LD50	12,600 mg/kg (rat)			K
105-54-4	ethyl butyr	ate			T.
Oral	LD50	13,000 mg/kg (rat)			
123-86-4	n-butyl ace	tate			
Oral	LD50	13,100 mg/kg (rat)			
Dermal	LD50	>5,000 mg/kg (rabbit)			
Inhalative	LC50/4 h	>21 mg/l (rat)			
5989-27-5	(R)-p-mei	ntha-1,8-diene			
Oral	LD50	4,400 mg/kg (rat)			K

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.

(Contd. on page 8)





Printing date 19.07.2023 Version number 1 Report No.: ELE2307C10985

Trade name: ELFBAR ELFA PRO Watermelon 0 mg/ml

(Contd. of page 7)

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

# **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

· 14.1 UN number or ID number · ADR, IMDG, IATA	not regulated			
· 14.2 UN proper shipping name · ADR, IMDG, IATA	not regulated			
14.3 Transport hazard class(es)	KA	KN		K
ADR, ADN, IMDG, IATA				
Class	not regulated			
14.4 Packing group ADR, IMDG, IATA	not regulated		KN	
14.5 Environmental hazards:	Not applicable.			





Printing date 19.07.2023 Version number 1 Report No.: ELE2307C10985

Trade name: ELFBAR ELFA PRO Watermelon 0 mg/ml

(Contd. of page 8)

· 14.6 Special precautions for user Not applicable.

· 14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

· UN "Model Regulation": not regulated

# SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)
  None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57 None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

In addition, transport information of Section 14 in the report was calculated theoretically, while the results are not always consistent with Certification for Safe Transport of Chemical Goods from the officially authorized agencies. Please consult the officially authorized agencies for the accurate transport information.

(Contd. on page 10)





Printing date 19.07.2023 Version number 1 Report No.: ELE2307C10985

Trade name: ELFBAR ELFA PRO Watermelon 0 mg/ml

(Contd. of page 9)

#### · Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H336 May cause drowsiness or dizziness.
- H400 Very toxic to aquatic life.
- H412 Harmful to aquatic life with long lasting effects.
- EUH066 Repeated exposure may cause skin dryness or cracking.

#### · Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Skin sensitisation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

#### · Organization issuing SDS:

Shenzhen Element Testing Co., Ltd.

101 of Plant 4 & 401 of Plant 2, No. 76, Longlingbei Rd, Pingxi, Pingdi St, Longgang Dist, Shenzhen, 518117, China

#### · Contact:

Noel Yin

Email: info@element-testing.com

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Skin Sens. 1B: Skin sensitisation – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

ΕI