

Report No.: 230304015 March 30, 2023 Page No.: 1 of 1

Safety Data Sheet

According to Regulation (EC) No 1907/2006 and its amendment Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008

Imiracle (ShenZhen) Technology Co., Ltd **Prepared For:**

Room 1606, Office Building T5, Qianhai China Resources Financial Center, No. **Address:**

5035 Menghai Avenue, Nanshan Subdistrict, Qianhai Shenzhen-Hongkong

Cooperation Zone, Shenzhen, China

ELFBAR ELFA PRO disposable Cola 20mg/mL **Product Name:**

ELFBAR Trade Mark:

Cola Flavour:

Nicotine Conc.: 20mg/mL

Shenzhen Element Testing Co., Ltd. **Prepared By:**

401, Plant 2, No. 76, Longlingbei Rd, Pingxi, Pingdi St, Longgang Dist, **Address:**

Shenzhen, 518117, China

Signed for and on behalf of Shenzhen Element Testing Co., Ltd.

> Kim Zhang **Technical Manager**

Printing date 29.03.2023 Version number 1 Revision: 29.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: ELFBAR ELFA PRO disposable Cola 20mg/mL
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture E-liquid used in E-cigarette
- · 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Imiracle (ShenZhen) Technology Co., Ltd

Room 1606, Office Building T5, Qianhai China Resources Financial Center, No. 5035 Menghai Avenue,

Nanshan Subdistrict, Qianhai Shenzhen-Hongkong Cooperation Zone, Shenzhen, China

Contact: Nash

Tel:+86 (0)755-29875010 Email: nash.cui@heavengifts.com

- · Further information obtainable from: Imiracle (ShenZhen) Technology Co., Ltd
- · 1.4 Emergency telephone number:

Contact: Nash

Tel:+86 (0)755-29875010

GERMANY

Poison Center Berlin - Institute of Toxicology

Tel: +49 030 192 40

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS06 skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.



GHS07

Acute Tox. 4 H312 Harmful in contact with skin.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labeled according to the CLP regulation.

· Hazard pictograms



GHS06

- · Signal word Danger
- · Hazard-determining components of labelling:

nicotine benzoate

(R)-p-mentha-1,8-diene

 $\hbox{\it 2-Isopropyl-N,2,3-trimethyl butyramide}$

Lemon oil

· Hazard statements

H301 Toxic if swallowed.

(Contd. on page 2)

Printing date 29.03.2023 Version number 1 Revision: 29.03.2023

Trade name: ELFBAR ELFA PRO disposable Cola 20mg/mL

(Contd. of page 1)

H312 Harmful in contact with skin.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P330 Rinse mouth.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

Contains 3.3 % of components with unknown hazards to the aquatic environment.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:			
CAS: 57-55-6	Propylene glycol		51.67%	
EINECS: 200-338-0	substance with a Community work	place exposure limit		
CAS: 56-81-5	glycerol		40.0%	
EINECS: 200-289-5	substance with a Community work	place exposure limit		
CAS: 88660-53-1	nicotine benzoate		3.3%	
	Acute Tox. 2, H300; Acute Tox. Chronic 2. H411	. 1, H310; Acute Tox. 2, H330; 🔖 Aquatic		
	ATE: LD50 oral: 5 mg/kg			
	LD50 dermal: 50 mg/kg			
	LC50/4 h inhalative: 0.19 mg	g/l		
CAS: 51115-67-4	2-Isopropyl-N,2,3-trimethylbutyrai	mide	2.0%	
EINECS: 256-974-4	♦ Acute Tox. 4, H302			
CAS: 5989-27-5	(R)-p-mentha-1,8-diene		1.47%	
EINECS: 227-813-5	7 1 tant. Etq. 5, 11226, W 115p. 10	ox. 1, H304; 🥸 Aquatic Acute 1, H400; 1B, H317; Aquatic Chronic 3, H412		
CAS: 8008-56-8	Lemon oil		0.24%	
EINECS: 284-515-8	 Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. A 	ox. 1, H304; 🧆 Aquatic Chronic 2, H411; 1, H317		
· Non-hazardous com	ponents			
CAS: 102-76-1	(tri-)Acetin		0.8%	
EINECS: 203-051-9				
CAS: 98-55-5	alpha-Terpineol	♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319	0.52%	
EINECS: 202-680-6				
· Additional informati	on: For the wording of the listed h	azard phrases refer to section 16.		

(Contd. on page 3)

Printing date 29.03.2023 Version number 1 Revision: 29.03.2023

Trade name: ELFBAR ELFA PRO disposable Cola 20mg/mL

(Contd. of page 2)

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters

Mouth respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Avoid contact with eyes.

Avoid contact with skin.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

EI

Printing date 29.03.2023 Version number 1 Revision: 29.03.2023

Trade name: ELFBAR ELFA PRO disposable Cola 20mg/mL

(Contd. of page 3)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit	Ingredients with limit values that require monitoring at the workplace:				
57-55-6 Propylene glycol					
MAK (Germany)	als Dampf und Aerosol;vgl.Abschn.IIb und Xc				
WEL (Great Britain)	Long-term value: 474* 10** mg/m³, 150* ppm *total vapour and particulates **particulates				
56-81-5 glycerol					
VL (Belgium)	Long-term value: 10 mg/m³ (brouillard)				
AGW (Germany)	Long-term value: 200 E mg/m³ 2 (I);DFG, Y				
VLEP (France)	Long-term value: 10 mg/m³				
WEL (Great Britain)	Long-term value: 10 mg/m³				
TWA (Greece)	Long-term value: 10 mg/m³				
5989-27-5 (R)-p-men	ntha-1,8-diene				
AGW (Germany)	Long-term value: 28 mg/m³, 5 ppm 4(II);DFG, H, Sh, Y				

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)

Printing date 29.03.2023 Version number 1 Revision: 29.03.2023

Trade name: ELFBAR ELFA PRO disposable Cola 20mg/mL

(Contd. of page 4)

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

Goggles recommended during refilling

- · Body protection:
- ·Other

If this product contains ingredients with exposure limits, personal, workplace, or biological monitoring may be required to determine the effectiveness of ventilation or other control measures and/or the need to use respirators. Reference should be made to European Standard EN 689 for methods of assessing exposure to chemicals through inhalation and to national guides for methods of determining hazardous substances.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

Physical state
Colour:
Odour:
Cola

• Odour threshold:
• Melting point/freezing point:

Data not available.

Data not available.

· Boiling point or initial boiling point and boiling

range Data not available.
Flammability Data not available.

· Lower and upper explosion limit

· Lower: Data not available.
· Upper: Data not available.

Flash point: >120°C

Data not available.

· **pH** 5.76

· Viscosity:

Kinematic viscosityDynamic:Data not available.

·Solubility

water: Data not available.
 Partition coefficient n-octanol/water (log value) Data not available.

(Contd. on page 6)

Printing date 29.03.2023 Version number 1 Revision: 29.03.2023

Trade name: ELFBAR ELFA PRO disposable Cola 20mg/mL

(Contd. of page 5)

· Vapour pressure: Data not available.

Density and/or relative density

Density: 1.0622 g/cm³
 Relative density Data not available.
 Vapour density Data not available.

· 9.2 Other information

· Appearance:

· Form:

Important information on protection of health and

environment, and on safety.

• Ignition temperature: Product is not selfigniting. • Explosive properties: Data not available.

· Change in condition

• Evaporation rate Data not available.

· Information with regard to physical hazard classes

· Explosives Data not available. Flammable gases Data not available. · Aerosols Data not available. Oxidising gases Data not available. · Gases under pressure Data not available. Flammable liquids Data not available. · Flammable solids Data not available. · Self-reactive substances and mixtures Data not available. · Pyrophoric liquids Data not available. · Pyrophoric solids Data not available. · Self-heating substances and mixtures Data not available.

· Substances and mixtures, which emit flammable

gases in contact with water

Oxidising liquids

Oxidising solids

Organic peroxides

Corrosive to metals

Data not available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

Toxic if swallowed.

Harmful in contact with skin.

· LD/LC	50 values rel	levant for classification:
57-55-6	Propylene g	glycol
Oral	LD50	2,000 mg/kg (rat)

(Contd. on page 7)

Printing date 29.03.2023 Version number 1 Revision: 29.03.2023

Trade name: ELFBAR ELFA PRO disposable Cola 20mg/mL

		(Contd. of page 6)
Dermal	LD50	20,800 mg/kg (rabbit)
56-81-5 gly	ycerol	
Oral	LD50	12,600 mg/kg (rat)
88660-53-	1 nicotine	benzoate
Oral	LD50	5 mg/kg (ATE)
Dermal	LD50	50 mg/kg (ATE)
Inhalative	LC50/4 h	0.19 mg/l (ATE)
5989-27-5	(R)-p-men	ntha-1,8-diene
Oral	LD50	4,400 mg/kg (rat)
CI.		

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Europ	European waste catalogue	
HP6	Acute Toxicity	
HP14	Ecotoxic	

(Contd. on page 8)

Printing date 29.03.2023 Version number 1 Revision: 29.03.2023

Trade name: ELFBAR ELFA PRO disposable Cola 20mg/mL

(Contd. of page 7)

- · Uncleaned packaging:
 · Recommendation: Disposal must be made according to official regulations.

ADR, IMDG, IATA	1010177
	UN3144
14.2 UN proper shipping name	
ADR	3144 NICOTINE COMPOUND, LIQUID, N.O.S.
<i>IMDG</i>	(nicotine benzoate) NICOTINE COMPOUND, LIQUID, N.O.S. (nicotine
IIII U	benzoate)
IATA	Nicotine compound, liquid, n.o.s. (nicotine benzoate)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	6.1 Toxic substances.
Label	6.1
14.4 Packing group	
ADR, IMDG, IATA	III
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Toxic substances.
Hazard identification number (Kemler code):	60
EMS Number: Stowage Category	F-A,S-A B
Stowage Category Stowage Code	SW2 Clear of living quarters.
14.7 Maritime transport in bulk according to IM	
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	<i>5L</i>
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category	2
Tunnel restriction code	\overline{E}
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3144 NICOTINE COMPOUND, LIQUID, N.O.S.

Printing date 29.03.2023 Version number 1 Revision: 29.03.2023

Trade name: ELFBAR ELFA PRO disposable Cola 20mg/mL

(Contd. of page 8)

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57 None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

In addition, transport information of Section 14 in the report was calculated theoretically, while the results are not always consistent with Certification for Safe Transport of Chemical Goods from the officially authorized agencies. Please consult the officially authorized agencies for the accurate transport information.

· Relevant phrases

H226 Flammable liquid and vapour.

H300 Fatal if swallowed.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H310 Fatal in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 10)

Printing date 29.03.2023 Version number 1 Revision: 29.03.2023

Trade name: ELFBAR ELFA PRO disposable Cola 20mg/mL

(Contd. of page 9)

H412 Harmful to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Acute toxicity - oral

Acute toxicity - dermal

Skin sensitisation

Hazardous to the aquatic environment - long-term
(chronic) aquatic hazard

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

 $GHS:\ Globally\ Harmonised\ System\ of\ Classification\ and\ Labelling\ of\ Chemicals$

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 2: Acute toxicity - Category 2

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 1: Acute toxicity - Category 1

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation - Category 1B

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

EU