

Printing date 28.08.2023

Version number 1

# Report No.: ELE2308C14092

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: ELFBAR ELFA PRO Cola 0 mg/ml

· Trade Mark: ELFBAR

· Flavour: Cola

· Nicotine Conc.: 0 mg/ml

· UFI: R2GR-9M7Q-7605-149P

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Application of the substance / the mixture E-liquid used in E-cigarette

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Imiracle (ShenZhen) Technology Co., Ltd

Room 1606, Office Building T5, Qianhai China Resources Financial Center, No. 5035 Menghai Avenue,

Nanshan Subdistrict, Qianhai Shenzhen-Hongkong Cooperation Zone, Shenzhen, China

Contact: Nash

Tel:+86 (0)755-29875010

Email: nash.cui@heavengifts.com

· Further information obtainable from: Imiracle (ShenZhen) Technology Co., Ltd

1.4 Emergency telephone number:

Contact: Nash

Tel:+86 (0)755-29875010

**GERMANY** 

Poison Center Berlin - Institute of Toxicology

Tel: +49 030 192 40

# SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labeled according to the CLP regulation.

· Hazard pictograms



GHS07

- · Signal word Warning
- Hazard-determining components of labelling:

(R)-p-mentha-1,8-diene

Cassia oil

4-Hydroxy-2,5-dimethyl-3(2H)-furanone

· Hazard statements

H317 May cause an allergic skin reaction.

(Contd. on page 2)





Printing date 28.08.2023 Version number 1 Report No.: ELE2308C14092

Trade name: ELFBAR ELFA PRO Cola 0 mg/ml

(Contd. of page 1)

#### Precautionary statements

If medical advice is needed, have product container or label at hand. P101

Keep out of reach of children. P102

P103 Read carefully and follow all instructions.

Contaminated work clothing should not be allowed out of the workplace. P272

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

 $Dispose\ of\ contents/container\ in\ accordance\ with\ local/regional/national/international$ P501

regulations.

# · 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

# SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

Dangerous compone	nts:		
CAS: 56-81-5 EINECS: 200-289-5	glycerol substance with a Community workplace exposure limit		50.0%
CAS: 57-55-6 EINECS: 200-338-0	Propylene glycol substance with a Community workplace exposure limit		42.21%
CAS: 51115-67-4 EINECS: 256-974-4	2-Isopropyl-N,2,3-trimethylbutyramide  (1) Acute Tox. 4, H302		1.8%
CAS: 4940-11-8 EINECS: 225-582-5	Ethyl maltol  • Acute Tox. 4, H302		1.22%
CAS: 5989-27-5 EINECS: 227-813-5	(R)-p-mentha-1,8-diene Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Ac Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic		0.75%
CAS: 64-19-7 EINECS: 200-580-7	scetic acid  Flam. Liq. 3, H226; Skin Corr. 1A, H314  Specific concentration limits: Skin Corr. 1A; H314: $C \ge 90\%$ Skin Corr. 1B; H314: $25\% \le C < 90\%$ Skin Irrit. 2; H315: $10\% \le C < 25\%$ Eye Irrit. 2; H319: $10\% \le C < 25\%$		
CAS: 8007-80-5 EINECS: 284-635-0	Cassia oil •• Acute Tox. 4, H312; Skin Irrit. 2, H315; Skin Sens. 1, H31	7	0.2%
CAS: 3658-77-3 EINECS: 222-908-8	4-Hydroxy-2,5-dimethyl-3(2H)-furanone ◆ Eye Irrit. 2, H319; Skin Sens. 1A, H317		0.19%
Non-hazardous com	ponents	1	K
CAS: 102-76-1 EINECS: 203-051-9	(tri-)Acetin		1.32%
CAS: 10482-56-1 EINECS: 233-986-8	p-Menth-1-en-8-ol (S) ♦ Eye Dam. 1, H318; ♦ Skin Irrit. 2, H315	EA	0.79%
CAS: 39711-79-0	N-Ethyl-2-isopropyl-5-methylcyclohexane carboxamide Aquatic Chronic 3, H412		0.5%



Printing date 28.08.2023 Version number 1 Report No.: ELE2308C14092

Trade name: ELFBAR ELFA PRO Cola 0 mg/ml

KN	K	KN		KN	(Contd. of	page 2)
CAS: 121-33-5	vanillin					0.3%
EINECS: 204-465-	<sup>2</sup>					
CAS: 470-67-7	1,4-Cineole					0.1%
EINECS: 207-428-	🚸 Flam. Liq. 3, H226		EN			

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

# **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters

Mouth respiratory protective device.

Wear fully protective suit.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Avoid contact with eyes.

Avoid contact with skin.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

EU





Printing date 28.08.2023 Version number 1 Report No.: ELE2308C14092

Trade name: ELFBAR ELFA PRO Cola 0 mg/ml

(Contd. of page 3)

### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

Ingredients with lim	it values that require monitoring o	at the workplace		
56-81-5 glycerol				
VL (Belgium)	Long-term value: 10 mg/m³ (brouillard)			
GVI (Croatia)	Long-term value: 10 mg/m³			
NPK (Czechia)	Short-term value: 15 mg/m³ Long-term value: 10 mg/m³			
AGW (Germany)	Long-term value: 200 E mg/m³ 2 (I);DFG, Y			
VLEP (France)	Long-term value: 10 mg/m³			
WEL (Great Britain)	Long-term value: 10 mg/m³			
TWA (Italy)	Long-term value: (10) mg/m³			
57-55-6 Propylene g	lycol			
GVI (Croatia)	Long-term value: 474* 10** mg/s *Ukopne Pare i Čestice; **Čestic			
MAK (Germany)	als Dampf und Aerosol;vgl.Absch	ın.IIb und Xc		
WEL (Great Britain)	Long-term value: 474* 10** mg/s *total vapour and particulates **			
5989-27-5 (R)-p-men	ntha-1,8-diene			
AGW (Germany)	Long-term value: 28 mg/m³, 5 pp. 4(II);DFG, H, Sh, Y	m		
64-19-7 acetic acid	EN EN		EA	
IOELV (EU)	Short-term value: 50 mg/m³, 20 p Long-term value: 25 mg/m³, 10 p			
VL (Belgium)	Short-term value: 38 mg/m³, 15 p Long-term value: 25 mg/m³, 10 p			
GVI (Croatia)	Short-term value: 50 mg/m³, 20 p Long-term value: 25 mg/m³, 10 p			
NPK (Czechia)	Short-term value: 50 mg/m³ Long-term value: 25 mg/m³			



Printing date 28.08.2023 Version number 1 Report No.: ELE2308C14092

Trade name: ELFBAR ELFA PRO Cola 0 mg/ml

KN	KA KA		KN	(Contd. of page 4)
AGW (Germany)	Long-term value: 25 mg/m³, 10 ppm 2(I);DFG, EU, Y	ı		
VLEP (France)	Short-term value: 50 mg/m³, 20 ppm Long-term value: 25 mg/m³, 10 ppm			
WEL (Great Britain)	Short-term value: 50 mg/m³, 20 ppm Long-term value: 25 mg/m³, 10 ppm			
TWA (Italy)	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm			
VL (Italy)	Short-term value: 50 mg/m³, 20 ppm Long-term value: 25 mg/m³, 10 ppm			

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not required.
- · Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

# · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

Goggles recommended during refilling

- · Body protection:
- · Other

If this product contains ingredients with exposure limits, personal, workplace, or biological monitoring may be required to determine the effectiveness of ventilation or other control measures and/or the need to use respirators. Reference should be made to European Standard EN 689 for methods of assessing exposure to chemicals through inhalation and to national guides for methods of determining hazardous substances.





Printing date 28.08.2023 Version number 1 Report No.: ELE2308C14092

Trade name: ELFBAR ELFA PRO Cola 0 mg/ml

(Contd. of page 5)

# SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

Physical state
Colour:
Odour:
Fluid
light brown
Cola

Odour threshold: Data not available.
 Melting point/freezing point: Data not available.

· Boiling point or initial boiling point and boiling

range Data not available.
Flammability Data not available.

· Lower and upper explosion limit

Lower: Data not available.
Upper: Data not available.
Flash point: >120°C

• **Decomposition temperature:** Data not available.

· pH at 20°C 4.13

· Viscosity:

Kinematic viscosity
 Dynamic:
 Data not available.

· Solubility

water: Data not available.
Partition coefficient n-octanol/water (log value)
Vapour pressure: Data not available.
Data not available.

· Density and/or relative density

Density at 20°C:
 Relative density
 Vapour density
 Data not available.
 Data not available.

9.2 Other information

· Appearance:

· Form: Liquid

Important information on protection of health and

environment, and on safety.
Ignition temperature:

• Ignition temperature: Product is not selfigniting. • Explosive properties: Data not available.

· Change in condition

Evaporation rate Data not available.

· Information with regard to physical hazard classes

Data not available. **Explosives** · Flammable gases Data not available. Data not available. · Aerosols Data not available. Oxidising gases Data not available. Gases under pressure · Flammable liquids Data not available. Data not available. · Flammable solids · Self-reactive substances and mixtures Data not available. Pyrophoric liquids Data not available. Pyrophoric solids Data not available.

Self-heating substances and mixtures
Substances and mixtures, which emit flammable

gases in contact with water Data not available.

Data not available.

(Contd. on page 7)





Printing date 28.08.2023 Version number 1 Report No.: ELE2308C14092

Trade name: ELFBAR ELFA PRO Cola 0 mg/ml

(Contd. of page 6)

· Oxidising liquids	II-	Data not available.
Oxidising solids		Data not available.
· Organic peroxides		Data not available.
· Corrosive to metals		Data not available.
· Desensitised explosiv	ves	Data not available.

#### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

ATE (A	cute Tox	icity Estimates)		
Oral	LD50 1	6,556 mg/kg		
56-81-5	glycerol	'		
Oral	LD50 1	2,600 mg/kg (rat)		
57-55-6	Propyle	ne glycol		
Oral	LD50 2	7,000 mg/kg (rat)		
Dermal	LD50 2	0,800 mg/kg (rabbit)		
5989-27	-5 (R)-p	-mentha-1,8-diene	KA	E
Oral	LD50 4	1,400 mg/kg (rat)		
64-19-7	acetic a	cid		
Oral	LD50 3	,310 mg/kg (rat)		
Dermal	LD50 1	,060 mg/kg (rabbit)		

- · **Skin corrosion/irritation** Based on available data, the classification criteria are not met
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 8)





Printing date 28.08.2023 Version number 1 Report No.: ELE2308C14092

Trade name: ELFBAR ELFA PRO Cola 0 mg/ml

(Contd. of page 7)

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

# SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

# SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information			
· 14.1 UN number or ID number · ADR, IMDG, IATA	not regulated		
14.2 UN proper shipping name ADR, IMDG, IATA	not regulated		
· 14.3 Transport hazard class(es)			
· ADR, ADN, IMDG, IATA · Class	not regulated		
· 14.4 Packing group · ADR, IMDG, IATA	not regulated		
14.5 Environmental hazards:	Not applicable.	EN	
14.6 Special precautions for user	Not applicable.		
		(Contd.	on pag





Printing date 28.08.2023 Version number 1 Report No.: ELE2308C14092

Trade name: ELFBAR ELFA PRO Cola 0 mg/ml

(Contd. of page 8)

· 14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

· UN "Model Regulation": not regulated

#### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)
  None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57 None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

In addition, transport information of Section 14 in the report was calculated theoretically, while the results are not always consistent with Certification for Safe Transport of Chemical Goods from the officially authorized agencies. Please consult the officially authorized agencies for the accurate transport information.

(Contd. on page 10)

i. on page 10





Printing date 28.08.2023 Version number 1 Report No.: ELE2308C14092

Trade name: ELFBAR ELFA PRO Cola 0 mg/ml

(Contd. of page 9)

### · Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

# · Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Skin sensitisation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

### · Organization issuing SDS:

Shenzhen Element Testing Co., Ltd.

101 of Plant 4 & 401 of Plant 2, No. 76, Longlingbei Rd, Pingxi, Pingdi St, Longgang Dist, Shenzhen, 518117, China

#### · Contact:

Noel Yin

Email: info@element-testing.com

# · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A

Skin Sens. 1B: Skin sensitisation - Category 1B

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3