

Report No.: ELE2306C09000 June 14, 2023 Page No.: 1 of 1

# Safety Data Sheet

According to Regulation (EC) No 1907/2006 and its amendment Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008

Imiracle (ShenZhen) Technology Co., Ltd **Prepared For:** 

Room 1606, Office Building T5, Qianhai China Resources Financial Center, No. **Address:** 

5035 Menghai Avenue, Nanshan Subdistrict, Qianhai Shenzhen-Hongkong

Cooperation Zone, Shenzhen, China

ELFBAR ELFA PRO Cola 10 mg/ml **Product Name:** 

**ELFBAR Trade Mark:** 

Cola Flavour:

**Nicotine Conc.:** 10 mg/ml

Shenzhen Element Testing Co., Ltd. **Prepared By:** 

401, Plant 2, No. 76, Longlingbei Rd, Pingxi, Pingdi St, Longgang Dist, **Address:** 

Shenzhen, 518117, China

Signed for and on behalf of Shenzhen Element Testing Co., Ltd.

> Kim Zhang **Technical Manager**

Tel: 86-755-28506411

Printing date 14.06.2023 Version number 1 Revision: 14.06.2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: ELFBAR ELFA PRO Cola 10 mg/ml
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture E-liquid used in E-cigarette
- · 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Imiracle (ShenZhen) Technology Co., Ltd

Room 1606, Office Building T5, Qianhai China Resources Financial Center, No. 5035 Menghai Avenue,

Nanshan Subdistrict, Qianhai Shenzhen-Hongkong Cooperation Zone, Shenzhen, China

Contact: Nash

Tel:+86 (0)755-29875010 Email: nash.cui@heavengifts.com

- · Further information obtainable from: Imiracle (ShenZhen) Technology Co., Ltd
- · 1.4 Emergency telephone number:

Contact: Nash

Tel:+86 (0)755-29875010

**GERMANY** 

Poison Center Berlin - Institute of Toxicology

Tel: +49 030 192 40

# SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H332 Harmful if inhaled.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labeled according to the CLP regulation.

· Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labelling:

nicotine benzoate

2-Isopropyl-N,2,3-trimethylbutyramide

Ethyl maltol

· Hazard statements

H302+H332 Harmful if swallowed or if inhaled.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

*P103* Read carefully and follow all instructions.

*P264* Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

(Contd. on page 2)

Printing date 14.06.2023 Version number 1 Revision: 14.06.2023

## Trade name: ELFBAR ELFA PRO Cola 10 mg/ml

(Contd. of page 1)

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

 $Contains\ (R) - p-mentha-1, 8-diene.\ May\ produce\ an\ allergic\ reaction.$ 

Contains 1.6% of components with unknown hazards to the aquatic environment.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information	on ingredients
------------------------------------	----------------

- · 3.2 Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous compone	ents:	
CAS: 56-81-5 EINECS: 200-289-5	glycerol substance with a Community workplace exposure limit	50.0%
CAS: 57-55-6 EINECS: 200-338-0	Propylene glycol substance with a Community workplace exposure limit	
CAS: 51115-67-4 EINECS: 256-974-4	2-Isopropyl-N,2,3-trimethylbutyramide  \( \bar{\psi} \) Acute Tox. 4, H302	
CAS: 88660-53-1	nicotine benzoate  Acute Tox. 2, H300; Acute Tox. 2, H310; Acute Tox. 2, H330; Aquatic Chronic 3, H412  ATE: LD50 oral: 5 mg/kg  LD50 dermal: 50 mg/kg  LC50/4 h inhalative: 0.05 mg/l	1.58%
CAS: 4940-11-8 EINECS: 225-582-5	Ethyl maltol  • Acute Tox. 4, H302	
CAS: 5989-27-5 EINECS: 227-813-5	(R)-p-mentha-1,8-diene ♦ Flam. Liq. 3, H226; ♦ Asp. Tox. 1, H304; ♦ Aquatic Acute 1, H400; ♦ Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	0.65%
Non-hazardous com	ponents	
C4S: 10482-56-1	n-Menth-1-en-8-01 (S)	0.82%

	(!) Skin III. 2, 11515, Skin Sens. 1B, 11517, Aquatic Chronic 3, 11412	
· Non-hazardous components		
CAS: 10482-56-1	p-Menth-1-en-8-ol (S)	0.82%
EINECS: 233-986-8	♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 102-76-1	(tri-)Acetin	0.8%
EINECS: 203-051-9		
CAS: 64-19-7	acetic acid	0.6%
EINECS: 200-580-7	♦ Flam. Liq. 3, H226; ♦ Skin Corr. 1A, H314; ♦ Acute Tox. 4, H312	
	Specific concentration limits: Skin Corr. 1A; H314: C ≥ 90 %	
	Skin Corr. 1B; H314: 25 % ≤ C < 90 %	
	Skin Irrit. 2; H315: 10 % ≤ C < 25 %	
	Eye Irrit. 2; H319: 10 % ≤ C < 25 %	
CAS: 39711-79-0	N-Ethyl-2-isopropyl-5-methylcyclohexane carboxamide	0.5%
EINECS: 254-599-0		

· Additional information: For the wording of the listed hazard phrases refer to section 16.

ΕU

Printing date 14.06.2023 Version number 1 Revision: 14.06.2023

Trade name: ELFBAR ELFA PRO Cola 10 mg/ml

(Contd. of page 2)

## SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters

Mouth respiratory protective device.

Wear fully protective suit.

· **Protective equipment:** Mouth respiratory protective device.

# SECTION 6: Accidental release measures

# · 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Avoid contact with eyes.

Avoid contact with skin.

## · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

# 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

## 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

(Contd. on page 4)

Printing date 14.06.2023 Version number 1 Revision: 14.06.2023

Trade name: ELFBAR ELFA PRO Cola 10 mg/ml

(Contd. of page 3)

- Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:		
56-81-5 glycerol		
VL (Belgium)	Long-term value: 10 mg/m³ (brouillard)	
AGW (Germany)	Long-term value: 200 E mg/m³ 2 (I);DFG, Y	
VLEP (France)	Long-term value: 10 mg/m³	
WEL (Great Britain)	Long-term value: 10 mg/m³	
TWA (Greece)	Long-term value: 10 mg/m³	
57-55-6 Propylene glycol		
MAK (Germany)	als Dampf und Aerosol;vgl.Abschn.IIb und Xc	
WEL (Great Britain)	Long-term value: 474* 10** mg/m³, 150* ppm *total vapour and particulates **particulates	
5989-27-5 (R)-p-mentha-1,8-diene		
AGW (Germany)	Long-term value: 28 mg/m³, 5 ppm 4(II);DFG, H, Sh, Y	

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

## · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 14.06.2023 Version number 1 Revision: 14.06.2023

Trade name: ELFBAR ELFA PRO Cola 10 mg/ml

(Contd. of page 4)

#### · Eve/face protection



Tightly sealed goggles

Goggles recommended during refilling

- · Body protection:
- ·Other

If this product contains ingredients with exposure limits, personal, workplace, or biological monitoring may be required to determine the effectiveness of ventilation or other control measures and/or the need to use respirators. Reference should be made to European Standard EN 689 for methods of assessing exposure to chemicals through inhalation and to national guides for methods of determining hazardous substances.

## SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Cola

Odour threshold: Data not available.
 Melting point/freezing point: Data not available.

· Boiling point or initial boiling point and boiling

range Data not available.
Flammability Data not available.

· Lower and upper explosion limit

· Lower: Data not available.
· Upper: Data not available.

· Flash point: >120°C

• **Decomposition temperature:** Data not available.

· **pH** 5.35

· Viscosity:

Kinematic viscosity
 Dynamic:
 Data not available.
 Data not available.

· Solubility

water: Data not available.
 Partition coefficient n-octanol/water (log value)
 Vapour pressure: Data not available.
 Data not available.

· Density and/or relative density

Density: 1.1075 g/cm³
 Relative density Data not available.
 Vapour density Data not available.

· 9.2 Other information

· Appearance:

· Form: Liquid

Important information on protection of health and

environment, and on safety.

• Ignition temperature: Product is not selfigniting. • Explosive properties: Data not available.

· Change in condition

• Evaporation rate Data not available.

· Information with regard to physical hazard classes

Explosives
 Flammable gases
 Aerosols
 Data not available.
 Data not available.

(Contd. on page 6)

Printing date 14.06.2023 Version number 1 Revision: 14.06.2023

Trade name: ELFBAR ELFA PRO Cola 10 mg/ml

		(Contd. of page 5)
· Oxidising gases	Data not available.	
· Gases under pressure	Data not available.	
· Flammable liquids	Data not available.	
· Flammable solids	Data not available.	
· Self-reactive substances and mixtures	Data not available.	
· Pyrophoric liquids	Data not available.	
· Pyrophoric solids	Data not available.	
Self-heating substances and mixtures	Data not available.	
· Substances and mixtures, which emit flammab	le	
gases in contact with water	Data not available.	
Oxidising liquids	Data not available.	
· Oxidising solids	Data not available.	
· Organic peroxides	Data not available.	
· Corrosive to metals	Data not available.	
Desensitised explosives	Data not available.	

# SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Harmful if swallowed or if inhaled.

· LD/LC50 values relevant for classification:		
ATE (Acute Toxicity Estimates)		
Oral	LD50	310 mg/kg
Dermal	<i>LD50</i>	3,165 mg/kg (ATE)
Inhalative	LC50/4 h	3.16 mg/l (ATE)
56-81-5 gl	ycerol	
Oral	LD50	12,600 mg/kg (rat)
57-55-6 Propylene glycol		
Oral	LD50	2,000 mg/kg (rat)
Dermal	LD50	20,800 mg/kg (rabbit)
88660-53-1 nicotine benzoate		
Oral	LD50	5 mg/kg (ATE)
Dermal	LD50	50 mg/kg (ATE)
Inhalative	LC50/4 h	0.05  mg/l (ATE)
5989-27-5 (R)-p-mentha-1,8-diene		
Oral	LD50	4,400 mg/kg (rat)
· Skin corro	sion/irrita	tion Based on available data, the classification criteria are not met.

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 7)

Printing date 14.06.2023 Version number 1 Revision: 14.06.2023

Trade name: ELFBAR ELFA PRO Cola 10 mg/ml

(Contd. of page 6)

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- $\cdot \textbf{STOT-repeated exposure} \ \textit{Based on available data, the classification criteria are not met.}$
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

# SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

# SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

	pean waste catalogue
HP6	Acute Toxicity

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number ADR, IMDG, IATA	UN3144
14.2 UN proper shipping name	
ADR	3144 NICOTINE COMPOUND, LIQUID, N.O.S. (nicotine benzoate)
IMDG	NICOTINE COMPOUND, LIQUID, N.O.S. (nicotine benzoate)
IATA	Nicotine compound, liquid, n.o.s. (nicotine benzoate)

Printing date 14.06.2023 Version number 1 Revision: 14.06.2023

Trade name: ELFBAR ELFA PRO Cola 10 mg/ml

	(Contd. of page
14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
6	
· Class	6.1 Toxic substances.
· Label	6.1
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Stowage Category	Warning: Toxic substances. 60 F-A,S-A B
Stowage Code	SW2 Clear of living quarters.
· 14.7 Maritime transport in bulk according to IM instruments	10 Not applicable.
Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category · Tunnel restriction code	2 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3144 NICOTINE COMPOUND, LIQUID, N.O.S. (NICOTINE BENZOATE), 6.1, III

# **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)
  None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

(Contd. on page 9)

Printing date 14.06.2023 Version number 1 Revision: 14.06.2023

Trade name: ELFBAR ELFA PRO Cola 10 mg/ml

(Contd. of page 8)

# · REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### · Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57 None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

In addition, transport information of Section 14 in the report was calculated theoretically, while the results are not always consistent with Certification for Safe Transport of Chemical Goods from the officially authorized agencies. Please consult the officially authorized agencies for the accurate transport information.

## · Relevant phrases

H226 Flammable liquid and vapour.

H300 Fatal if swallowed.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H310 Fatal in contact with skin.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

#### · Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Acute toxicity - oral The classification of the mixture is generally based on the calculation method Acute toxicity - inhalation using substance data according to Regulation (EC) No 1272/2008.

# Date of previous version: 14.06.2023

## Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

(Contd. on page 10)

Page 10/10

## Safety Data Sheet According to Regulation (EC) No 1907/2006 and its amendment Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008

Printing date 14.06.2023 Version number 1 Revision: 14.06.2023

Trade name: ELFBAR ELFA PRO Cola 10 mg/ml

(Contd. of page 9)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

 $LC50: Lethal\ concentration,\ 50\ percent$ 

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids — Category 3 Acute Tox 2: Acute toxicity — Category 2

Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skin Sens. 1B: Skin sensitisation – Category 1B Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

\* Data compared to the previous version altered.

EU