

\*

\*

Page 1/14

Safety Data Sheet According to Regulation (EC) No 1907/2006 and its amendment Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008

SECTION 1: Identification of the su				
SECTION I. Incluigication of the su	bstance/mixture and o	of the company/une	lertaking	
1.1 Product identifier	FA		EN	
Trade name: <u>ELFBAR AF5000 Blue</u> Trade Mark: ELFBAR	berry Sour Raspberry	v 20 mg/ml		
Flavour: Blueberry Sour Raspberry Nicotine Conc.: 20 mg/ml UFI: 255V-XMJ9-860U-4TRE 1.2 Relevant identified uses of the su Application of the substance / the mi.			inst	
<b>1.3 Details of the supplier of the safe</b> Manufacturer/Supplier: Imiracle (ShenZhen) Technology Co., Room 1606, Office Building T5, Qian Nanshan Subdistrict, Qianhai Shenzh Contact: Nash Tel:+86 (0)755-29875010	Ltd hai China Resources I			Avenue,
Email: nash.cui@heavengifts.com				
Further information obtainable from <b>1.4 Emergency telephone number:</b> Contact: Nash Tel:+86 (0)755-29875010	: 1miracie (SnenZhen)	j technology Co., L	nu	
	mixture	K		KD
2.1 Classification of the substance or	on (EC) No 1272/2008	s Ka	FA	
2.1 Classification of the substance or Classification according to Regulation GHS06 skull and crossbone	on (EC) No 1272/2008 25		ß	
2.1 Classification of the substance or Classification according to Regulation GHS06 skull and crossbone	on (EC) No 1272/2008 25	s SS K	<b>E</b>	ES Kr
2.1 Classification of the substance or Classification according to Regulation GHS06 skull and crossbone Acute Tox. 3 H301 Toxic if swallowed GHS07 Acute Tox. 4 H312 Harmful in contact	on (EC) No 1272/2008 es d. ct with skin.	8 ES ES		
2.1 Classification of the substance or Classification according to Regulation GHS06 skull and crossbond Acute Tox. 3 H301 Toxic if swallowed GHS07 Acute Tox. 4 H312 Harmful in contact Acute Tox. 4 H332 Harmful if inhaled C.2 Label elements Labelling according to Regulation (H The product is classified and labeled	n (EC) No 1272/2008 es d. et with skin. d. EC) No 1272/2008			
2.1 Classification of the substance or Classification according to Regulation GHS06 skull and crossbond Acute Tox. 3 H301 Toxic if swallowed GHS07 Acute Tox. 4 H312 Harmful in contact Acute Tox. 4 H312 Harmful if inhaled Acute Tox. 4 H332 Harmful if inhaled C2.2 Label elements Cabelling according to Regulation (Her Che product is classified and labeled of Hazard pictograms	n (EC) No 1272/2008 es d. et with skin. d. EC) No 1272/2008			
2.1 Classification of the substance or Classification according to Regulation GHS06 skull and crossbond Acute Tox. 3 H301 Toxic if swallowed GHS07 Acute Tox. 4 H312 Harmful in contact Acute Tox. 4 H332 Harmful if inhaled C.2 Label elements Cabelling according to Regulation (H Che product is classified and labeled of Hazard pictograms GHS06	n (EC) No 1272/2008 es d. et with skin. d. EC) No 1272/2008			
Acute Tox. 3 H301 Toxic if swallowed GHS07 Acute Tox. 4 H312 Harmful in contact Acute Tox. 4 H332 Harmful if inhaled 2.2 Label elements Labelling according to Regulation (H The product is classified and labeled of Hazard pictograms	on (EC) No 1272/2008 es d. t with skin. d. EC) No 1272/2008 according to the CLP			



Page 2/14

Safety Data Sheet According to Regulation (EC) No 1907/2006 and its amendment

Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008

Printing date 27.12.2023 Version number 1 Report No.: ELE2312C22030 Trade name: ELFBAR AF5000 Blueberry Sour Raspberry 20 mg/ml (Contd. of page 1) Hazard statements Toxic if swallowed. H301 H312+H332 Harmful in contact with skin or if inhaled. · Precautionary statements If medical advice is needed, have product container or label at hand. P101 Keep out of reach of children. P102 Read carefully and follow all instructions. P103 Wash thoroughly after handling. P264 Use only outdoors or in a well-ventilated area. P271 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P302+P352 IF ON SKIN: Wash with plenty of water. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · 2.3 Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

#### SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components	s:	
CAS: 57-55-6 EINECS: 200-338-0	<i>Propylene glycol</i> <i>substance with a Community workplace exposure limit</i>	52.45%
CAS: 56-81-5 EINECS: 200-289-5	Glycerol substance with a Community workplace exposure limit	40.0%
CAS: 88660-53-1 EC number: 828-490-9	Nicotine benzoate Acute Tox. 2, H300; Acute Tox. 2, H310; Acute Tox. 2, H330; Aquatic	3.16%
	Chronic 3, H412 ATE: LD50 oral: 5 mg/kg LD50 dermal: 50 mg/kg LC50/4 h inhalative: 0.05 mg/l	
CAS: 51115-67-4 EINECS: 256-974-4	2-Isopropyl-N,2,3-trimethylbutyramide	2.72%
CAS: 123-92-2 EINECS: 204-662-3	isopentyl acetate Flam. Liq. 3, H226, EUH066	0.38%
CAS: 64-19-7 EINECS: 200-580-7	acetic acid O Flam. Liq. 3, H226; $O$ Skin Corr. 1A, H314 Specific concentration limits: Skin Corr. 1A; H314: $C \ge 90\%$ Skin Corr. 1B; H314: 25 % $\leqslant C < 90\%$ Skin Irrit. 2; H315: 10 % $\leqslant C < 25\%$ Eye Irrit. 2; H319: 10 % $\leqslant C < 25\%$	0.23%
CAS: 79-09-4 EINECS: 201-176-3	propionic acid Skin Corr. 1B, H314 Specific concentration limits: Skin Corr. 1B; H314: $C \ge 25$ % Skin Irrit. 2; H315: 10 % $\le C < 25$ % Eye Irrit. 2; H319: 10 % $\le C < 25$ % STOT SE 3; H335: $C \ge 10$ %	0.13%



Page 3/14

#### Safety Data Sheet According to Regulation (EC) No 1907/2006 and its amendment Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008

Printing date 27.12.2023

Version number 1

Report No.: ELE2312C22030

Trade name: ELFBAR AF5000 Blueberry Sour Raspberry 20 mg/ml

	4		
		(Contd.	of page 2)
CAS: 141-78-6	ethyl acetate		0.12%
EINECS: 205-500-4	🚸 Flam. Liq. 2, H225; 🔇	Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	
CAS: 624-41-9	2-methylbutyl acetat		0.06%
EINECS: 210-843-8	🚸 Flam. Liq. 3, H226, E	CUH066	
· Non-hazardous com	ponents		
CAS: 105-54-4	ethyl butyrate	🚸 Flam. Liq. 3, H226; 🚸 Eye Irrit. 2, H319	0.42%
EINECS: 203-306-4			
CAS: 4940-11-8	Ethyl maltol	<b>♦</b> Acute Tox. 4, H302	0.13%
EINECS: 225-582-5			
CAS: 928-96-1	cis-3-Hexenol	🚸 Flam. Liq. 3, H226; 🚸 Eye Irrit. 2, H319	0.12%
EINECS: 213-192-8			
CAS: 7452-79-1	ethyl 2-methylbutyrate	🚸 Flam. Liq. 3, H226	0.08%
EINECS: 231-225-4			
· Additional informati	on: For the wording of the li	isted hazard phrases refer to section 16.	

## **SECTION 4: First aid measures**

## · 4.1 Description of first aid measures

## • General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

# **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- Mouth respiratory protective device. Wear fully protective suit.
- · Protective equipment: Mouth respiratory protective device.

# **SECTION 6:** Accidental release measures

• **6.1 Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation. Use respiratory protective device against the effects of fumes/dust/aerosol.

(Contd. on page 4)

EU



Page 4/14

Safety Data Sheet According to Regulation (EC) No 1907/2006 and its amendment Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008

Printing date 27.12.2023 Version number 1 Report No.: ELE2312C22030 Trade name: ELFBAR AF5000 Blueberry Sour Raspberry 20 mg/ml (Contd. of page 3) Avoid contact with eyes. Avoid contact with skin. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. · 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. · 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. **SECTION 7: Handling and storage** · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. • Information about fire - and explosion protection: Keep respiratory protective device available. · 7.2 Conditions for safe storage, including any incompatibilities · Storage: • **Requirements to be met by storerooms and receptacles:** Store in a cool location. • Information about storage in one common storage facility: Store away from foodstuffs. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles. • 7.3 Specific end use(s) No further relevant information available. SECTION 8: Exposure controls/personal protection · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: 57-55-6 Propylene glycol Long-term value: 474\* 10\*\* mg/m<sup>3</sup>, 150\* ppm GVI (Croatia) \*Ukopne Pare i Čestice; \*\*Čestice MAK (Germany) als Dampf und Aerosol;vgl.Abschn.IIb und Xc Long-term value: 474\* 10\*\* mg/m<sup>3</sup>, 150\* ppm WEL (Great Britain) \*total vapour and particulates \*\*particulates 56-81-5 Glycerol VL (Belgium) Long-term value: 10 mg/m<sup>3</sup> (brouillard) GVI (Croatia) Long-term value: 10 mg/m<sup>3</sup> (Contd. on page 5) FU



Page 5/14

# Safety Data Sheet According to Regulation (EC) No 1907/2006 and its amendment Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008

Printing date 27.12.2023

Version number 1

Report No.: ELE2312C22030

< N	RN RN	EN	(Contd. of page
NPK (Czechia)	Short-term value: 15 mg/m³ Long-term value: 10 mg/m³	E	(contai or page
AGW (Germany)	Long-term value: 200 E mg/m <sup>3</sup> 2 (1);DFG, Y		
VLEP (France)	Long-term value: 10 mg/m <sup>3</sup>		
WEL (Great Britain)	Long-term value: 10 mg/m <sup>3</sup>		
TWA (Italy)	Long-term value: (10) mg/m³		
123-92-2 isopentyl a	cetate		
IOELV (EU)	Short-term value: 540 mg/m³, 100 ppm Long-term value: 270 mg/m³, 50 ppm		
VL (Belgium)	Short-term value: 540 mg/m³, 100 ppm Long-term value: 270 mg/m³, 50 ppm		
GVI (Croatia)	Short-term value: 540 mg/m³, 100 ppm Long-term value: 270 mg/m³, 50 ppm		
NPK (Czechia)	Short-term value: 540 mg/m³ Long-term value: 270 mg/m³		
AGW (Germany)	Long-term value: 270 mg/m³, 50 ppm 1(I);DFG, EU		
VLEP (France)	Short-term value: 540 mg/m³, 100 ppm Long-term value: 270 mg/m³, 50 ppm		
WEL (Great Britain)	Short-term value: 541 mg/m³, 100 ppm Long-term value: 270 mg/m³, 50 ppm		
TWA (Italy)	Short-term value: 532 mg/m <sup>3</sup> , 100 ppm Long-term value: 266 mg/m <sup>3</sup> , 50 ppm		
VL (Italy)	Short-term value: 540 mg/m³, 100 ppm Long-term value: 270 mg/m³, 50 ppm		
64-19-7 acetic acid			<u> </u>
IOELV (EU)	Short-term value: 50 mg/m³, 20 ppm Long-term value: 25 mg/m³, 10 ppm		
VL (Belgium)	Short-term value: 38 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm		
GVI (Croatia)	Short-term value: 50 mg/m³, 20 ppm Long-term value: 25 mg/m³, 10 ppm		
NPK (Czechia)	Short-term value: 50 mg/m <sup>3</sup> Long-term value: 25 mg/m <sup>3</sup>		
AGW (Germany)	Long-term value: 25 mg/m <sup>3</sup> , 10 ppm 2(1);DFG, EU, Y		
VLEP (France)	Short-term value: 50 mg/m <sup>3</sup> , 20 ppm Long-term value: 25 mg/m <sup>3</sup> , 10 ppm		
WEL (Great Britain)	Short-term value: 50 mg/m <sup>3</sup> , 20 ppm Long-term value: 25 mg/m <sup>3</sup> , 10 ppm		
TWA (Italy)	Short-term value: 37 mg/m <sup>3</sup> , 15 ppm Long-term value: 25 mg/m <sup>3</sup> , 10 ppm		
VL (Italy)	Short-term value: 50 mg/m <sup>3</sup> , 20 ppm Long-term value: 25 mg/m <sup>3</sup> , 10 ppm		



Page 6/14

Safety Data Sheet According to Regulation (EC) No 1907/2006 and its amendment Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008

Printing date 27.12.2023

Version number 1

Report No.: ELE2312C22030

					(Contd. of page
79-09-4 propionic ac	cid				(conta: of page
IOELV (EU)	Short-term value: 62 n Long-term value: 31 m				
VL (Belgium)	Short-term value: 62 n Long-term value: 31 n				
GVI (Croatia)	Short-term value: 62 n Long-term value: 31 m				
NPK (Czechia)	Short-term value: 60 n Long-term value: 30 m I				
AGW (Germany)	Long-term value: 31 m 2(I);EU, DFG, Y	ng/m³, 10 ppm			
VLEP (France)	Short-term value: 62 n Long-term value: 31 m				
WEL (Great Britain)	Short-term value: 46 n Long-term value: 31 m				
TWA (Italy)	Long-term value: 30 m	ng/m³, 10 ppm			
VL (Italy)	Short-term value: 62 n Long-term value: 31 m				
141-78-6 ethyl aceta	te				
IOELV (EU)	Short-term value: 1466 Long-term value: 734		R		RA
VL (Belgium)	Short-term value: 1466 Long-term value: 734				
GVI (Croatia)	Short-term value: 1466 Long-term value: 734				
NPK (Czechia)	Short-term value: 900 Long-term value: 700 I	0			
AGW (Germany)	Long-term value: 730 2(I);DFG, EU, Y	mg/m³, 200 ppm			
VLEP (France)	Short-term value: 1466 Long-term value: 734				
WEL (Great Britain)	Short-term value: 1466 Long-term value: 734				
TWA (Italy)	Long-term value: 1441				
VL (Italy)	Short-term value: 1466 Long-term value: 734				
624-41-9 2-methylbu	ıtyl acetat	FA		-	
VL (Belgium)	Short-term value: 540 Long-term value: 270	mg/m <sup>3</sup> , 50 ppm			
NPK (Czechia)	Short-term value: 540 Long-term value: 270	$mg/m^3$			
AGW (Germany)	Long-term value: 270 1(I);DFG, Y	mg/m³, 50 ppm			



Page 7/14

Safety Data Sheet According to Regulation (EC) No 1907/2006 and its amendment

Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008

Printing date 27.12.2023 Version number 1 Report No.: ELE2312C22030 Trade name: ELFBAR AF5000 Blueberry Sour Raspberry 20 mg/ml (Contd. of page 6) TWA (Italy) Short-term value: 532 mg/m<sup>3</sup>, 100 ppm Long-term value: 266 mg/m<sup>3</sup>, 50 ppm Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls · Appropriate engineering controls No further data; see section 7. · Individual protection measures, such as personal protective equipment · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. · Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. · Hand protection Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye/face protection Tightly sealed goggles Goggles recommended during refilling · Body protection: Other If this product contains ingredients with exposure limits, personal, workplace, or biological monitoring may be required to determine the effectiveness of ventilation or other control measures and/or the need to use respirators. Reference should be made to European Standard EN 689 for methods of assessing exposure to chemicals through inhalation and to national guides for methods of determining hazardous substances. (Contd. on page 8)




Page 8/14

Safety Data Sheet According to Regulation (EC) No 1907/2006 and its amendment Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008

Printing date 27.12.2023

Version number 1

Report No.: ELE2312C22030



– EU



Page 9/14

Safety Data Sheet According to Regulation (EC) No 1907/2006 and its amendment Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008

Printing date 27.12.2023 Version number 1 Report No.: ELE2312C22030 Trade name: ELFBAR AF5000 Blueberry Sour Raspberry 20 mg/ml (Contd. of page 8) · Substances and mixtures, which emit flammable gases in contact with water Data not available. · Oxidising liquids Data not available. · Oxidising solids Data not available. · Organic peroxides Data not available. · Corrosive to metals Data not available. · Desensitised explosives Data not available. **SECTION 10: Stability and reactivity** · 10.1 Reactivity No further relevant information available. · 10.2 Chemical stability • Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. · 10.3 Possibility of hazardous reactions No dangerous reactions known. · 10.4 Conditions to avoid No further relevant information available. • 10.5 Incompatible materials: No further relevant information available. • 10.6 Hazardous decomposition products: No dangerous decomposition products known. **SECTION 11: Toxicological information** · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 · Acute toxicity Toxic if swallowed. Harmful in contact with skin or if inhaled. · LD/LC50 values relevant for classification: ATE (Acute Toxicity Estimates) Oral LD50 157 mg/kg LD50 1,582 mg/kg (ATE) Dermal Inhalative LC50/4 h 1.58 mg/l (ATE) 57-55-6 Propylene glycol Oral LD50 2,000 mg/kg (rat) LD50 Dermal 20,800 mg/kg (rabbit) 56-81-5 Glycerol LD50 12,600 mg/kg (rat) Oral 88660-53-1 Nicotine benzoate Oral LD50 5 mg/kg (ATE) LD50 Dermal 50 mg/kg (ATE) Inhalative LC50/4 h 0.05 mg/l (ATE) 51115-67-4 2-Isopropyl-N,2,3-trimethylbutyramide Oral LD50 500 mg/kg (ATE) 123-92-2 isopentyl acetate LD5016,000 mg/kg (rat) Oral 64-19-7 acetic acid Oral LD50 3,310 mg/kg (rat) (Contd. on page 10) EU




Page 10/14

Safety Data Sheet According to Regulation (EC) No 1907/2006 and its amendment Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008

Printing date 27.12.2023

Version number 1

Report No.: ELE2312C22030





Page 11/14

Safety Data Sheet According to Regulation (EC) No 1907/2006 and its amendment

Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008

Printing date 27.12.2023 Version number 1 Report No.: ELE2312C22030 Trade name: ELFBAR AF5000 Blueberry Sour Raspberry 20 mg/ml (Contd. of page 10) • Uncleaned packaging: · Recommendation: Disposal must be made according to official regulations. **SECTION 14: Transport information** · 14.1 UN number or ID number · ADR, IMDG, IATA UN3144 · 14.2 UN proper shipping name 3144 NICOTINE COMPOUND, LIQUID, N.O.S. ·ADR (Nicotine benzoate) ·IMDG NICOTINE COMPOUND, LIQUID, N.O.S. (Nicotine benzoate)  $\cdot IATA$ Nicotine compound, liquid, n.o.s. (Nicotine benzoate) · 14.3 Transport hazard class(es) ·ADR 6.1 (T1) Toxic substances. · Class · Label 6.1 · IMDG, IATA 6.1 Toxic substances. Class · Label 6.1 · 14.4 Packing group · ADR, IMDG, IATA III · 14.5 Environmental hazards: Not applicable. · 14.6 Special precautions for user Warning: Toxic substances. Hazard identification number (Kemler code): 60 EMS Number: F-A, S-AStowage Category В · Stowage Code SW2 Clear of living quarters. · 14.7 Maritime transport in bulk according to IMO Not applicable. instruments · Transport/Additional information: ·ADR · Limited quantities (LQ) 5L· Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml (Contd. on page 12) EU



Page 12/14

Safety Data Sheet According to Regulation (EC) No 1907/2006 and its amendment Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008

				(Contd. of page 11)
Transport category	2 E		E	
IMDG Limited quantities (LQ) Excepted quantities (EQ)		E1 num net quantity per in num net quantity per ou		
UN "Model Regulation":		44 NICOTINE COMP DTINE BENZOATE), 6.		IQUID, N.O.S.
15.1 Safety, health and environme	ntal regulations/legisla	tion specific for the su	ibstance	or mixture
15.1 Safety, health and environme Directive 2012/18/EU Named dangerous substances - Al			ibstance	or mixture
Directive 2012/18/EU Named dangerous substances - Al LIST OF SUBSTANCES SUBJEC None of the ingredients is listed.	NNEX I None of the ing	redients is listed. ON (ANNEX XIV)	ibstance	or mixture
Directive 2012/18/EU Named dangerous substances - Al LIST OF SUBSTANCES SUBJE	NNEX I None of the ing CT TO AUTHORISAT	redients is listed. ON (ANNEX XIV) tions of restriction: 3		
Directive 2012/18/EU Named dangerous substances - Al LIST OF SUBSTANCES SUBJEC None of the ingredients is listed. REGULATION (EC) No 1907/200 DIRECTIVE 2011/65/EU on the r	NNEX I None of the ing CT TO AUTHORISAT	redients is listed. ON (ANNEX XIV) tions of restriction: 3		
Directive 2012/18/EU Named dangerous substances - Al LIST OF SUBSTANCES SUBJEC None of the ingredients is listed. REGULATION (EC) No 1907/200 DIRECTIVE 2011/65/EU on the r electronic equipment - Annex II None of the ingredients is listed.	NNEX I None of the ing CT TO AUTHORISAT	redients is listed. ON (ANNEX XIV) tions of restriction: 3		
Directive 2012/18/EU Named dangerous substances - Al LIST OF SUBSTANCES SUBJEC None of the ingredients is listed. REGULATION (EC) No 1907/200 DIRECTIVE 2011/65/EU on the r electronic equipment - Annex II None of the ingredients is listed.	NNEX I None of the ing CT TO AUTHORISAT Of ANNEX XVII Condi estriction of the use of	redients is listed. ON (ANNEX XIV) tions of restriction: 3 certain hazardous sub	estances i.	n electrical and
Directive 2012/18/EU Named dangerous substances - Al LIST OF SUBSTANCES SUBJEC None of the ingredients is listed. REGULATION (EC) No 1907/200 DIRECTIVE 2011/65/EU on the r electronic equipment - Annex II None of the ingredients is listed. REGULATION (EU) 2019/1148 Annex I - RESTRICTED EXPLOY	NNEX I None of the ing CT TO AUTHORISAT Of ANNEX XVII Condi estriction of the use of	redients is listed. ON (ANNEX XIV) tions of restriction: 3 certain hazardous sub	estances i.	n electrical and
Directive 2012/18/EU Named dangerous substances - Al LIST OF SUBSTANCES SUBJEC None of the ingredients is listed. REGULATION (EC) No 1907/200 DIRECTIVE 2011/65/EU on the r electronic equipment - Annex II None of the ingredients is listed. REGULATION (EU) 2019/1148 Annex I - RESTRICTED EXPLOS under Article 5(3)) None of the ingredients is listed.	NNEX I None of the ing CT TO AUTHORISAT OG ANNEX XVII Condi estriction of the use of SIVES PRECURSORS	redients is listed. ON (ANNEX XIV) tions of restriction: 3 certain hazardous sub (Upper limit value for	estances i.	n electrical and
Directive 2012/18/EU Named dangerous substances - Al LIST OF SUBSTANCES SUBJEC None of the ingredients is listed. REGULATION (EC) No 1907/200 DIRECTIVE 2011/65/EU on the r electronic equipment - Annex II None of the ingredients is listed. REGULATION (EU) 2019/1148 Annex I - RESTRICTED EXPLOS under Article 5(3)) None of the ingredients is listed.	NNEX I None of the ing CT TO AUTHORISAT OG ANNEX XVII Condi estriction of the use of SIVES PRECURSORS	redients is listed. ON (ANNEX XIV) tions of restriction: 3 certain hazardous sub (Upper limit value for	estances i.	n electrical and
Directive 2012/18/EU Named dangerous substances - Al LIST OF SUBSTANCES SUBJEC None of the ingredients is listed. REGULATION (EC) No 1907/200 DIRECTIVE 2011/65/EU on the r electronic equipment - Annex II None of the ingredients is listed. REGULATION (EU) 2019/1148 Annex I - RESTRICTED EXPLOS under Article 5(3)) None of the ingredients is listed. Annex II - REPORTABLE EXPLOS	NNEX I None of the ing CT TO AUTHORISAT OG ANNEX XVII Condi estriction of the use of SIVES PRECURSORS	redients is listed. ON (ANNEX XIV) tions of restriction: 3 certain hazardous sub (Upper limit value for	estances i.	n electrical and
Directive 2012/18/EU Named dangerous substances - Al LIST OF SUBSTANCES SUBJEC None of the ingredients is listed. REGULATION (EC) No 1907/200 DIRECTIVE 2011/65/EU on the r electronic equipment - Annex II None of the ingredients is listed. REGULATION (EU) 2019/1148 Annex I - RESTRICTED EXPLOS under Article 5(3)) None of the ingredients is listed. Annex II - REPORTABLE EXPLOS	NNEX I None of the ing CT TO AUTHORISAT OG ANNEX XVII Condi estriction of the use of SIVES PRECURSORS	redients is listed. ON (ANNEX XIV) tions of restriction: 3 certain hazardous sub (Upper limit value for	estances i.	n electrical and
Directive 2012/18/EU Named dangerous substances - Al LIST OF SUBSTANCES SUBJEC None of the ingredients is listed. REGULATION (EC) No 1907/200 DIRECTIVE 2011/65/EU on the r electronic equipment - Annex II None of the ingredients is listed. REGULATION (EU) 2019/1148 Annex I - RESTRICTED EXPLOS under Article 5(3)) None of the ingredients is listed. Annex II - REPORTABLE EXPLOS None of the ingredients is listed. Regulation (EC) No 273/2004 on a None of the ingredients is listed.	NNEX I None of the ing CT TO AUTHORISAT OG ANNEX XVII Condi estriction of the use of SIVES PRECURSORS OSIVES PRECURSOR	redients is listed. ON (ANNEX XIV) tions of restriction: 3 certain hazardous sub (Upper limit value for S	stances is the purp	n electrical and pose of licensing
Directive 2012/18/EU Named dangerous substances - Al LIST OF SUBSTANCES SUBJEC None of the ingredients is listed. REGULATION (EC) No 1907/200 DIRECTIVE 2011/65/EU on the r electronic equipment - Annex II None of the ingredients is listed. REGULATION (EU) 2019/1148 Annex I - RESTRICTED EXPLOS under Article 5(3)) None of the ingredients is listed. Annex II - REPORTABLE EXPLOS None of the ingredients is listed. Regulation (EC) No 273/2004 on a None of the ingredients is listed.	NNEX I None of the ing CT TO AUTHORISAT OG ANNEX XVII Condi estriction of the use of SIVES PRECURSORS OSIVES PRECURSOR	redients is listed. ON (ANNEX XIV) tions of restriction: 3 certain hazardous sub (Upper limit value for S	stances is the purp	n electrical and pose of licensing

## **SECTION 16: Other information**

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

(Contd. on page 13)



Page 13/14

EU

Safety Data Sheet According to Regulation (EC) No 1907/2006 and its amendment Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008

Printing date 27.12.2023 Version number 1 Report No.: ELE2312C22030 Trade name: ELFBAR AF5000 Blueberry Sour Raspberry 20 mg/ml (Contd. of page 12) In addition, transport information of Section 14 in the report was calculated theoretically, while the results are not always consistent with Certification for Safe Transport of Chemical Goods from the officially authorized agencies. Please consult the officially authorized agencies for the accurate transport information. · Relevant phrases H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H300 Fatal if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H319 Causes serious eye irritation. H330 Fatal if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H412 Harmful to aquatic life with long lasting effects. EUH066 Repeated exposure may cause skin dryness or cracking. Classification according to Regulation (EC) No 1272/2008 The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Acute toxicity - oral The classification of the mixture is generally based on the calculation method Acute toxicity - dermal using substance data according to Regulation (EC) No 1272/2008. Acute toxicity - inhalation Organization issuing SDS: Shenzhen Element Testing Co., Ltd. 101 of Plant 4, & 401 of Plant 2, No.76, Longling North Road, Pingxi, Pingdi Subdistrict, Longgang District, Shenzhen, Guangdong, China/518117 Contact: Noel Yin Email: info@element-testing.com • Date of previous version: 25.12.2023 · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 2: Acute toxicity - Category 2 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 (Contd. on page 14)



Page 14/14

Safety Data Sheet According to Regulation (EC) No 1907/2006 and its amendment Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008

Printing date 27.12.2023 Version number 1 Report No.: ELE2312C22030 Trade name: ELFBAR AF5000 Blueberry Sour Raspberry 20 mg/ml (Contd. of page 13) Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 \* \* Data compared to the previous version altered. EU