

Report No.: ELE2312C22038



# Safety Data Sheet According to Regulation (EC) No 1907/2006 and its amendment Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008

Printing date 27.12.2023

Version number 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: ELFBAR AF5000 Strawberry Ice 20 mg/ml

Trade Mark: ELFBAR

· Flavour: Strawberry Ice · Nicotine Conc.: 20 mg/ml

· **UFI:** 9U5V-0M2F-Q60T-FJDX

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Application of the substance / the mixture E-liquid used in E-cigarette

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Imiracle (ShenZhen) Technology Co., Ltd

Room 1606, Office Building T5, Qianhai China Resources Financial Center, No. 5035 Menghai Avenue,

Nanshan Subdistrict, Qianhai Shenzhen-Hongkong Cooperation Zone, Shenzhen, China

Contact: Nash

Tel:+86 (0)755-29875010 Email: nash.cui@heavengifts.com

· Further information obtainable from: Imiracle (ShenZhen) Technology Co., Ltd

· 1.4 Emergency telephone number:

Contact: Nash

Tel: +86 (0)755-29875010

# SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS06 skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.



Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labeled according to the CLP regulation.

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

Nicotine benzoate

2-Isopropyl-N,2,3-trimethylbutyramide

(Contd. on page 2)





Printing date 27.12.2023 Version number 1 Report No.: ELE2312C22038

Trade name: ELFBAR AF5000 Strawberry Ice 20 mg/ml

(Contd. of page 1)

#### · Hazard statements

H301 Toxic if swallowed.

H312+H332 Harmful in contact with skin or if inhaled.

#### · Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

*P103* Read carefully and follow all instructions.

*P264* Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

#### SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components	s:	
CAS: 57-55-6 EINECS: 200-338-0	Propylene glycol substance with a Community workplace exposure limit	53.24%
CAS: 56-81-5 EINECS: 200-289-5	Glycerol substance with a Community workplace exposure limit	40.0%
CAS: 88660-53-1 EC number: 828-490-9	Nicotine benzoate  → Acute Tox. 2, H300; Acute Tox. 2, H310; Acute Tox. 2, H330; Aquatic Chronic 3, H412  ATE: LD50 oral: 5 mg/kg  LD50 dermal: 50 mg/kg  LC50/4 h inhalative: 0.05 mg/l	3.12%
CAS: 51115-67-4 EINECS: 256-974-4	2-Isopropyl-N,2,3-trimethylbutyramide  • Acute Tox. 4, H302	2.13%
CAS: 123-92-2 EINECS: 204-662-3	isopentyl acetate  Flam. Liq. 3, H226, EUH066	0.26%
CAS: 141-78-6 EINECS: 205-500-4	ethyl acetate  Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	0.25%
CAS: 64-19-7 EINECS: 200-580-7	acetic acid  Flam. Liq. 3, H226; Skin Corr. 1A, H314  Specific concentration limits: Skin Corr. 1A; H314: $C \ge 90\%$ Skin Corr. 1B; H314: $25\% \le C < 90\%$ Skin Irrit. 2; H315: $10\% \le C < 25\%$ Eye Irrit. 2; H319: $10\% \le C < 25\%$	0.13%

(Contd. on page 3)



Printing date 27.12.2023 Version number 1 Report No.: ELE2312C22038

Trade name: ELFBAR AF5000 Strawberry Ice 20 mg/ml

		(Contd.	of page 2)
Non-hazardous co	omponents		
CAS: 105-54-4 EINECS: 203-306	ethyl butyrate 5-4	♠ Flam. Liq. 3, H226; ♠ Eye Irrit. 2, H319	0.35%
CAS: 7452-79-1 EINECS: 231-225	ethyl 2-methylbutyrate i-4	♠ Flam. Liq. 3, H226	0.26%
CAS: 928-96-1 EINECS: 213-192	cis-3-Hexenol	♠ Flam. Liq. 3, H226; ♠ Eye Irrit. 2, H319	0.11%
CAS: 4940-11-8 EINECS: 225-582	Ethyl maltol	<b>♦</b> Acute Tox. 4, H302	0.09%
CAS: 3681-71-8 EINECS: 222-960	cis-3-Hexen-1-yl acetate	♠ Flam. Liq. 3, H226	0.06%

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- · General information:

*Immediately remove any clothing soiled by the product.* 

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

*In case of unconsciousness place patient stably in side position for transportation.* 

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters

Mouth respiratory protective device.

Wear fully protective suit.

· Protective equipment: Mouth respiratory protective device.

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

*Use respiratory protective device against the effects of fumes/dust/aerosol.* 

Avoid contact with eyes.

Avoid contact with skin.

(Contd. on page 4)





Printing date 27.12.2023 Version number 1 Report No.: ELE2312C22038

Trade name: ELFBAR AF5000 Strawberry Ice 20 mg/ml

(Contd. of page 3)

#### · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

#### · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

## · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# SECTION 7: Handling and storage

### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

Long-term value: 200 E mg/m<sup>3</sup>

2 (I);DFG, Y

# SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

AGW (Germany)

· Ingredients with lin	nit values that require monitoring at the workplace:			II.
57-55-6 Propylene	glycol			
GVI (Croatia)	Long-term value: 474* 10** mg/m³, 150* ppm *Ukopne Pare i Čestice; **Čestice		KN	
MAK (Germany)	als Dampf und Aerosol;vgl.Abschn.IIb und Xc			
WEL (Great Britain	Long-term value: 474* 10** mg/m³, 150* ppm *total vapour and particulates **particulates			
56-81-5 Glycerol	KR KR	KN		R
VL (Belgium)	Long-term value: 10 mg/m³ (brouillard)			
GVI (Croatia)	Long-term value: 10 mg/m³			
NPK (Czechia)	Short-term value: 15 mg/m³ Long-term value: 10 mg/m³			

(Contd. on page 5)





Printing date 27.12.2023 Version number 1 Report No.: ELE2312C22038

Trade name: ELFBAR AF5000 Strawberry Ice 20 mg/ml

				(Contd. of pag
VLEP (France)	Long-term value: 10 mg	$/m^3$		
WEL (Great Britain)	Long-term value: 10 mg	$/m^3$		
TWA (Italy)	Long-term value: (10) m	$ng/m^3$		
123-92-2 isopentyl a	cetate		KN	EN
IOELV (EU)	Short-term value: 540 m Long-term value: 270 m	0 11		
VL (Belgium)	Short-term value: 540 m Long-term value: 270 m	g/m³, 100 ppm		
GVI (Croatia)	Short-term value: 540 m Long-term value: 270 m			
NPK (Czechia)	Short-term value: 540 m Long-term value: 270 m	$g/m^3$		
AGW (Germany)	Long-term value: 270 m 1(I);DFG, EU	g/m³, 50 ppm		
VLEP (France)	Short-term value: 540 m Long-term value: 270 m	0 11		
WEL (Great Britain)	Short-term value: 541 m Long-term value: 270 m	g/m³, 100 ppm		
TWA (Italy)	Short-term value: 532 m Long-term value: 266 m	g/m³, 100 ppm		
VL (Italy)	Short-term value: 540 m Long-term value: 270 m	g/m³, 100 ppm		
141-78-6 ethyl aceta			Tank 1	
IOELV (EU)	Short-term value: 1468 t Long-term value: 734 m			
VL (Belgium)	Short-term value: 1468 l Long-term value: 734 m	mg/m³, 400 ppm		
GVI (Croatia)	Short-term value: 1468 Long-term value: 734 m	mg/m³, 400 ppm		
NPK (Czechia)	Short-term value: 900 m Long-term value: 700 m I	$g/m^3$		
AGW (Germany)	Long-term value: 730 m 2(I);DFG, EU, Y	g/m³, 200 ppm		
VLEP (France)	Short-term value: 1468 i Long-term value: 734 m			
WEL (Great Britain)	Short-term value: 1468 Long-term value: 734 m	mg/m³, 400 ppm		
TWA (Italy)	Long-term value: 1441 i	ng/m³, 400 ppm		
VL (Italy)	Short-term value: 1468 t Long-term value: 734 m			
64-19-7 acetic acid	<u> </u>			
IOELV (EU)	Short-term value: 50 mg Long-term value: 25 mg			KN





Printing date 27.12.2023 Version number 1 Report No.: ELE2312C22038

Trade name: ELFBAR AF5000 Strawberry Ice 20 mg/ml

KN	KN KI	, FA	(Contd. of page 5)
VL (Belgium)	Short-term value: 38 mg/m³, 15 ppn Long-term value: 25 mg/m³, 10 ppn		
GVI (Croatia)	Short-term value: 50 mg/m³, 20 ppn Long-term value: 25 mg/m³, 10 ppn		
NPK (Czechia)	Short-term value: 50 mg/m³ Long-term value: 25 mg/m³ I		
AGW (Germany)	Long-term value: 25 mg/m³, 10 ppn 2(1);DFG, EU, Y		
VLEP (France)	Short-term value: 50 mg/m³, 20 ppn Long-term value: 25 mg/m³, 10 ppn		
WEL (Great Britain)	Short-term value: 50 mg/m³, 20 ppn Long-term value: 25 mg/m³, 10 ppn		
TWA (Italy)	Short-term value: 37 mg/m³, 15 ppn Long-term value: 25 mg/m³, 10 ppn		
VL (Italy)	Short-term value: 50 mg/m³, 20 ppm Long-term value: 25 mg/m³, 10 ppm		

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

# · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



## Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 7)





Printing date 27.12.2023 Version number 1 Report No.: ELE2312C22038

Trade name: ELFBAR AF5000 Strawberry Ice 20 mg/ml

(Contd. of page 6)

#### Eye/face protection



Tightly sealed goggles

Goggles recommended during refilling

- · Body protection:
- ·Other

If this product contains ingredients with exposure limits, personal, workplace, or biological monitoring may be required to determine the effectiveness of ventilation or other control measures and/or the need to use respirators. Reference should be made to European Standard EN 689 for methods of assessing exposure to chemicals through inhalation and to national guides for methods of determining hazardous substances.

# SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid · Colour: Yellow

Odour: Characteristic
 Odour threshold: Data not available.
 Melting point/freezing point: Data not available.

· Boiling point or initial boiling point and boiling

range Data not available.
Flammability Data not available.

· Lower and upper explosion limit

Lower:

Data not available.

Data not available.

Flash point: >120°C

• **Decomposition temperature:** Data not available.

· pH at 20°C 5.62

· Viscosity:

Kinematic viscosity
 Dynamic:
 Data not available.

· Solubility

water:
Partition coefficient n-octanol/water (log value)
Vapour pressure:
Data not available.
Data not available.

· Density and/or relative density

Density at 20°C:
 Relative density
 Vapour density
 Data not available.
 Data not available.

· 9.2 Other information

· Appearance:

· Form: Fluid

Important information on protection of health and environment, and on safety.

• Ignition temperature: Product is not selfigniting. • Explosive properties: Data not available.

(Contd. on page 8)





Printing date 27.12.2023 Version number 1 Report No.: ELE2312C22038

Trade name: ELFBAR AF5000 Strawberry Ice 20 mg/ml

\ 10	(Contd	l. of page	7
------	--------	------------	---

			KA	(Contd. of page 7)
· Change in condition	I.m.			
· Evaporation rate		Data not available.		
· Information with regard t	to physical hazard cl	lasses		
· Explosives	RN	Data not available.		
· Flammable gases		Data not available.		
· Aerosols		Data not available.		
· Oxidising gases		Data not available.		
· Gases under pressure		Data not available.		
· Flammable liquids		Data not available.		
· Flammable solids		Data not available.		
· Self-reactive substances a	and mixtures	Data not available.		
· Pyrophoric liquids		Data not available.		
· Pyrophoric solids		Data not available.		
Self-heating substances a	nd mixtures	Void		
		Data not available.		
· Substances and mixtures,	which emit flamma	ble		
gases in contact with water		Data not available.		
Oxidising liquids		Data not available.		
· Oxidising solids		Data not available.		
· Organic peroxides		Data not available.		
· Corrosive to metals		Data not available.		
Desensitised explosives		Data not available.		

# SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

Toxic if swallowed.

LD/LC50	values rel	evant for classification:			
ATE (Acı	ute Toxicity	Estimates)	K	KN	RI
Oral	LD50	159 mg/kg	I		
Dermal	LD50	1,603 mg/kg (ATE)			
Inhalative	e LC50/4 h	1.6 mg/l (ATE)			
57-55-6 I	Propylene g	lycol			
Oral	LD50	2,000 mg/kg (rat)			
Dermal	LD50	20,800 mg/kg (rabbit)			

(Contd. on page 9)





Printing date 27.12.2023 Version number 1 Report No.: ELE2312C22038

Trade name: ELFBAR AF5000 Strawberry Ice 20 mg/ml

		KN	KN		KN	(Contd. of page
56-81-5 G	lycerol					
Oral	LD50	12,600 mg/kg (rat)				
88660-53-	1 Nicotine	benzoate				
Oral	LD50	5 mg/kg (ATE)		KA		FA
Dermal	LD50	50 mg/kg (ATE)				
Inhalative	LC50/4 h	$0.05 \ mg/l \ (ATE)$				
51115-67-	4 2-Isopro	pyl-N,2,3-trimethylbutyram	ide			
Oral	LD50	500 mg/kg (ATE)	KN		KN	
123-92-2 i	sopentyl a	cetate				
Oral	LD50	16,000 mg/kg (rat)				
141-78-6 е	thyl acetar	te				
Oral	LD50	5,620 mg/kg (rabbit)		KN		K
Inhalative	LC50/4 h	1,600 mg/l (rat)				
64-19-7 ac	etic acid					
Oral	LD50	3,310 mg/kg (rat)				
Dermal	<i>LD50</i>	1,060 mg/kg (rabbit)				

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

#### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 10)





Printing date 27.12.2023 Version number 1 Report No.: ELE2312C22038

Trade name: ELFBAR AF5000 Strawberry Ice 20 mg/ml

(Contd. of page 9)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

# **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

HP6 Acute Toxicity

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

UN3144	KR
3144 NICOTINE COMPOUI (Nicotine benzoate)	ND, LIQUID, N.O.S.
NICOTINE COMPOUND, L. benzoate)	
Nicotine compound, liquid, n	n.o.s. (Nicotine benzoate)
6.1 (T1) Toxic substances. 6.1	
6.1 Toxic substances. 6.1	
III	
Not applicable.	
Warning: Toxic substances.	E
	3144 NICOTINE COMPOUNT (Nicotine benzoate) NICOTINE COMPOUND, L benzoate) Nicotine compound, liquid, n  6.1 (T1) Toxic substances. 6.1  6.1 Toxic substances. 6.1  III  Not applicable.  Warning: Toxic substances.





Printing date 27.12.2023 Version number 1 Report No.: ELE2312C22038

Trade name: ELFBAR AF5000 Strawberry Ice 20 mg/ml

			(Contd. of page 10
· Stowage Category		В	
· Stowage Code		SW2 Clear of living quarters.	
· 14.7 Maritime transport in l	bulk according to IN	10	
instruments	RA	Not applicable.	
· Transport/Additional inforn	nation:		
· ADR			
· Limited quantities (LQ)		5L	
Excepted quantities (EQ)		Code: E1	
		Maximum net quantity per inner	r packaging: 30 ml
		Maximum net quantity per outer	r packaging: 1000 ml
· Transport category		2	
· Tunnel restriction code		E	
· IMDG		KR	K
· Limited quantities (LQ)		5L	
Excepted quantities (EQ)		Code: E1	
		Maximum net quantity per inner	r packaging: 30 ml
		Maximum net quantity per outer	
· UN "Model Regulation":		UN 3144 NICOTINE COMPOU	
		(NICOTINE BENZOATE), 6.1, 1	III

# **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)
  None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

# · Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 12)





Printing date 27.12.2023 Version number 1 Report No.: ELE2312C22038

Trade name: ELFBAR AF5000 Strawberry Ice 20 mg/ml

(Contd. of page 11)

- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57 None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

In addition, transport information of Section 14 in the report was calculated theoretically, while the results are not always consistent with Certification for Safe Transport of Chemical Goods from the officially authorized agencies. Please consult the officially authorized agencies for the accurate transport information.

#### · Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H300 Fatal if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H336 May cause drowsiness or dizziness.
- H412 Harmful to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

# · Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Acute toxicity - oral	The classification of the mixture is	generally based on the	e calculation method
Acute toxicity - dermal	using substance data according to	Regulation (EC) No 1	272/2008.
Acute toxicity - inhalation			

# · Organization issuing SDS:

Shenzhen Element Testing Co., Ltd.

101 of Plant 4, & 401 of Plant 2, No.76, Longling North Road, Pingxi, Pingdi Subdistrict, Longgang District, Shenzhen, Guangdong, China/518117

#### Contact:

Noel Yin

Email: info@element-testing.com

- Date of previous version: 25.12.2023
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 13)





Printing date 27.12.2023 Version number 1 Report No.: ELE2312C22038

Trade name: ELFBAR AF5000 Strawberry Ice 20 mg/ml

(Contd. of page 12)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

\* Data compared to the previous version altered.

EU

