

SAFETY DATA SHEET

[IN ACCORDANCE WITH THE CRITERIA OF REGULATION NO 1907/2006 (REACH) AND 2020/1435]

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

CUSTARD E-Liquid with 20 mg/mL nicotine

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: liquid filling for electronic cigarettes

Uses advised against: not determined

1.3 Details of the supplier of the safety data sheet

Company: Shenzhen Deelove Biological Technology. Co., Ltd

Address: 203, Building A, Runhui Science Park, Hongqiaotou Community, Yanluo Street, Bao 'an District, Shenzhen City, Guangdong Province, China

Telephone: +86 13751170600

E-mail address: Henry@deelove-ejuice.com

1.4 Emergency telephone number

Telephone: 110 (Emergency number)

Section 2: Hazards identification

2.1 Classification of the substance or mixture:

Classification according to Regulation 1272/2008/EC

Acute Tox. 3 (H301) (Contains Nicotine)

STOT RE 2 (H373)

2.2 Label elements

Hazard pictograms and signal words



Danger



Warning

Hazard phrases

H301: Toxic if swallowed

H373: May cause damage to organs through prolonged or repeated exposure

Safety phrases

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P264: Wash contacting parts thoroughly after handling.

P301 + P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P501: Dispose of contents/container to designated place in accordance with local/regional/national/international regulations.

Names of components on the label

Contains: Nicotine

2.3 Other hazards:

Annex XIII Product does not contain ingredients, which should meet the criteria for vPvB and PBT according to Regulation (EC) No 1907/2006.

Annex XIII Product does not contain ingredients, which should meet the criteria for endocrine disrupting properties according to Regulation (EC) No 1907/2006, (EU) 2017/2100 or (EU) 2018/605

Section 3: Composition/information on ingredients

3.1 Substance: Not applicable. Please refer to 3.2 for more information.

3.2 Mixtures:

NO	Name	CAS number	Classification acc. to 1272/2008/EC	Weight % content
1	Propylene glycol	57-55-6	Substance is not classified as hazardous.	55.10%
2	Glycerin	56-81-5	Substance is not classified as hazardous.	35.00%
3	Neotame	165450-17-9	Substance is not classified as hazardous.	0.08%
4	2-Isopropyl-N,2,3-trimethylbutanamide	51115-67-4	Acute Tox. 4 (H302)	0.12%
5	Nicotine	54-11-5	Acute Tox. 2 (H300) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Aquatic Chronic 2 (H411) ATEs: Inhalation: ATE = 0.19 mg/L (dusts or mists) Dermal: ATE = 70 mg/kg bw Oral: ATE = 5 mg/kg bw	1.80%
6	Benzoic acid	65-85-0	Skin Irrit.2 (H315) Eye Dam.1 (H318) STOT RE 1 (H372)	1.80%
7	Ethyl maltol	4940-11-8	Acute Tox. 4(H302)	1.58%
8	Ethyl vanillin	121-32-4	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Irrit. 2A (H319) STOT SE 3 (H335)	1.27%
9	Vanillin	121-33-5	Skin Sens. 1 (H317) Eye Irrit. 2 (H319)	1.82%
10	Triacetin	102-76-1	Substance is not classified as hazardous.	0.73%
11	Ethyl 2-acetyl-4-methylpentanoate	1522-34-5	Substance is not classified as hazardous.	0.10%
12	3,4-Dimethoxybenzaldehyde	120-14-9	Acute Tox. 4 (H302)	0.24%
13	2-Methoxy-4-(4-methyl-1,3-dioxolan-2-yl)phenol	68527-74-2	Substance is not classified as hazardous.	0.36%

Additional information:

Substances for which there are Union workplace exposure limits are listed in SECTION 8.

For full text of H-statements: see SECTION 16.

Section 4: First aid measures

4.1 Description of first aid measures

General information: Symptoms of poisoning may even occur after several hours; Therefore medical observation for at least 48 hours after the accident. In case of irregular breathing or respiratory arrest provide artificial respiration. Immediately remove any clothing soiled by the product.

Skin contact: take off contaminated clothing. Wash the contaminated skin with water and soap. Immediately consult a doctor.

Eye contact: remove contact lenses. Wash the contaminated eye with plenty of water for at least 15 minutes. Avoid powerful water stream. Consult a doctor if disturbing symptoms occur.

Ingestion: do not induce vomiting. Rinse mouth with water. Never give anything to drink to an unconscious person. Consult a doctor. Show the container or label.

Inhalation: Remove to fresh air. Keep warm and calm. Consult a doctor, if disturbing symptoms appear.

4.2 Most important symptoms and effects, both acute and delayed:

Skin contact: redness, dryness, itching. The product is absorbed by skin and causes the same symptoms as after ingestion: problems with breathing, dizziness, spasms, nausea, vomiting and in extreme cases-death.

Eye contact: redness, tearing, possible temporary irritation.

Ingestion: nausea, vomiting, in extreme cases, after drinking large quantity of the product, following symptoms may occur: nausea, problems with breathing, dizziness, contractions, disorders of the respiratory system.

Inhalation: in case of exposure on doses above the occupational exposure limits, symptoms of acute nicotine toxicity are: rapid breathing, nausea, vomiting, headache, dizziness, diarrhea, tachycardia, increased blood pressure, sweating, salivation, burning sensation in the oral cavity, throat and stomach.

4.3 Indication of any immediate medical attention and special treatment needed:

Physician makes a decision regarding further medical treatment after thoroughly examination of the injured.

Symptomatic treatment.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Foam, dry extinguishing agents, water spray.

Unsuitable extinguishing media: Water jet - risk of the propagation of the flame.

5.2 Special hazards arising from the substance or mixture:

During the fire, the product may produce toxic fumes of carbon monoxide and dioxide, nitric oxides and other unidentified products of thermal decomposition. Do not inhale combustion products.

5.3 Advice for firefighters:

Personal protection typical in case of fire. Do not stay in the fire zone without self-contained breathing apparatus and protective clothing resistant to chemicals.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Limit the access for the outsiders into the breakdown area, until suitable cleaning operations are completed. In case of large spills, isolate the exposed area. Avoid contact with skin and eyes. Use personal protective measures.

6.2 Environmental precautions:

In case of release of large amounts of the product, it is necessary to take appropriate steps to prevent it from spreading

into the environment. Material may be hazardous if released in large quantities to the environment. Notify relevant emergency services.

6.3 Methods and material for containment and cleaning up

Damaged container put in emergency container. Absorb leakage with incombustible liquid-binding material (e.g. sand, earth, universal binders, silica, vermiculite) and collect mechanically into properly labeled containers for disposal.

Clean the contaminated place.

6.4 Reference to other sections: Section 13 and section 8.

Section 7: Handling and storage

7.1 Precautions for safe handling:

Handle in accordance with good occupational hygiene and safety practices. Avoid skin and eyes contamination. Before break and after work wash hands carefully. Use personal protective measures. Ensure adequate ventilation. Do not let the product to get into mouth.

7.2 Conditions for safe storage, including any incompatibilities:

Keep only in original, tightly closed containers in a cool and well-ventilated area. Keep away from food, beverages or feed for animals. Avoid direct exposure to sunlight. Keep away from strong acids and oxidizing agents. After opening, seal the container and store in an upright position to prevent leakage.

7.3 Specific end use(s):

Liquid filling for e-liquid.

Section 8: Exposure controls/personal protection

8.1 Control parameters

Substance	Country	OEL value
Nicotine	Work evaluating existing limits, Germany, Denmark, France, Norway, Belgium, Spain, Ireland	0.5 mg/m ³ (8 h)
	Finland, United Kingdom	0.5 mg/m ³ (8 h) 1.5 mg/m ³ (15 min)
	Austria, Switzerland	0.5 mg/m ³ (8 h) 2 mg/m ³ (15 min)
	Sweden	0.1 mg/m ³ (8 h)
1,2-Propylene glycol	REACH Regulations	10 mg/m ³ Inhalation, local effects Long-term exposure 168 mg/m ³ Inhalation, systemic effects Long-term exposure
	United Kingdom	474 mg/m ³ (8 h)
	Norway	79 mg/m ³ (8 h)
	Ireland	470 mg/m ³ (8 h)- Vapor and particulates 10 mg/m ³ (8 h)- Particulates
Glycerol	American Conference of Governmental Industrial Hygienists	79 mg/m ³ (8 h)
	REACH Regulations	56 mg/m ³ Inhalation, local effects Long-term exposure
	Finland	20 mg/m ³ (8 h)

	France, United Kingdom, Switzerland, Belgium, Spain, Ireland	10 mg/m ³ (8 h)
Benzoic acid	REACH Regulations	6.3 mg/m ³ Inhalation, local effects Long-term exposure 10.4 mg/m ³ Inhalation, systemic effects Long-term exposure

Legal Basis: Commission Directive 2006/15/EC, 200/39/EC, 2009/161/EC.

Recommended control procedures

Procedures Concerning the control over the dangerous component concentrations in the air and control over the air quality in the workplace in Accordance with the European Standards.

8.2 Exposure controls:

Use the product in accordance with good occupational hygiene and safety practices. Ensure exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure eye stations and safety showers.

Hand and body protection:

In case of short-term contact use protective gloves made of nitrile rubber (minimal thickness: 0.2 mm; breakthrough time > 30 minutes). In case of long-term contact use protective gloves made of butyl rubber (minimal thickness: 0.3 mm, breakthrough time > 480 minutes).

The material that the gloves are made of must be impenetrable and resistant to the product's effects. The selection of material must be performed with consideration of breakthrough time, penetration speed and degradation.

Eye protection:

Wear tightly fitting safety glasses if there is a risk of eye contamination.

Respiratory protection:

In case of normal use, in accordance with the intended use, it is not necessary.

Applied personal protective equipment must comply with the requirements of the Directive 89/686/EC. The employer is obliged to provide protective equipment relevant to performed activities and in accordance with all quality requirements, including its maintenance and cleaning.

8.3 Environmental exposure controls:

Do not allow to enter large amounts of product to reach ground water, sewage, waste water or soil.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Light yellow oily liquid at room temperature

Odor: CUSTARD

Odor threshold: Not available

pH: 6.3 at 26.4°C

Melting point/freezing range: Not available

Initial boiling point and boiling range: Not available

Flash point: Not available

Evaporation rate: Not available

Flammability (solid, gaseous): This product is liquid, not available.

Particle characteristics (solid): This product is liquid, not available.

Upper/lower flammability or explosive limits: Not available

Vapour pressure: Not available

Relative vapour density: Not available

Relative density (water = 1 g/mL):1.11 g/ml

Solubility(ies): Not available

Partition coefficient: n-octanol/water: Not available

Auto-ignition temperature: Product is not self-igniting.

Decomposition temperature: Not available

Kinematic viscosity: Not available

9.2 Other information: Not available

Section 10: Stability and reactivity

10.1 Reactivity: Product is feebly reactive. Product does not undergo a dangerous polymerization. See also 10.4-10.5

10.2 Chemical stability: The product is stable under normal storage and using condition.

10.3 Possibility of hazardous reactions: Dangerous reactions are not known.

10.4 Conditions to avoid: Avoid direct exposure to sunlight.

10.5 Incompatible materials: Strong oxidizing agents, acids.

10.6 Hazardous decomposition products: Not available

Section 11: Toxicological information

11.1 Information on toxicological effects

Toxicity of components

LD/LC50 values relevant for classification:		
CAS:54-11-5 Nicotine		
Oral	LD50	5 mg/kg bw
Dermal	LD50	70 mg/kg bw
Inhalation	LC50	0.19 mg/L (dusts/mists)

Toxicity of the mixture

The acute toxicity estimate (ATEmix) for the classification of a substance in a mixture was determined using the appropriate from ECHA website.

Acute toxicity

ATEmix (oral) = 277.78 mg/kg bw (Acute Tox. 3 (H301))

ATEmix (dermal) = 3888.89 mg/kg bw (Not classified)

ATEmix (inhalation) = 10.56 mg/L (Not classified)

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitization:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

Summary of evaluation of the CMR properties:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Generic Concentration Limit for classification:	
CAS:65-85-0 Benzoic acid	
GCL	1.0%

Aspiration hazard:

Based on available data, the classification criteria are not met.

Section 12: Ecological information

12.1 Toxicity:

Values relevant for classification:	
CAS: 54-11-5 Nicotine	
Classification:	Aquatic Chronic 2 (H411)
Fish (<i>Onchorhynchus mykiss</i>)	LC50-96h = 4 mg/L
Fish (fresh water)	3-29 ppm
Daphnia (<i>Daphnia magna</i>)	EC50-48h = 0.24 mg/L
Alga (<i>Desmodesmus subspicatus</i>)	EC50-72h = 37 mg/L

According to Regulation (EC) No 1272/2008, this product does not meet the criteria of classification of environmental toxicity.

12.2 Persistence and degradability:

Data for the mixture are not available.

Nicotine	
OECD Guideline 301B	71% degradation after 28 days
1,2-Propylene glycol	
OECD Guideline 301F	81% biodegradation
Biodegradation in soil	High concentrations of Propylene glycol released into a soil environment can be expected to biodegrade.
Phototransformation in water	DT50 = 1.3 year
Glycerol	

Biodegradation in water	Readily biodegradable
Ethanol	
Biodegradable in water. Biodegradable in the soil.	Readily biodegradable

12.3 Bioaccumulative potential:

Data for the mixture are not available.

Nicotine	
Log Pow	1.17 (pH=12.17)
1,2-propylene glycol	
BCF	0.09
Glycerol	
Log Pow	-1.75 (pH=7.4, 25 °C)

12.4 Mobility in soil:

Data for the mixture are not available.

1,2-propylene glycol	
Koc	2.9 (calculated from log Pow = -1.07 using the equation from the TGD (non-hydrophobics)
Henry's Law constant	0.06 atm m ³ /mol (12 °C)
Glycerol	
Henry's Law Constant (H):	0 atm m ³ /mol

12.5 Results of PBT and vPvB assessment:

Product does not contain ingredients, which meet criteria for PBT or vPvB.

12.6 Endocrine disrupting properties:

This substance does not have endocrine disrupting properties with respect to non-target organisms as it does not meet the criteria set out in section B of Regulation (EU) No 2017/2100.

12.7 Other adverse effects:

The mixture is not classified as hazardous to the ozone layer.

Section 13: Disposal considerations

13.1 Waste treatment methods

Disposal method for the product: disposal in accordance with the local legislation. Do not empty into drains. Waste code should be given in the place of waste formation. The classification of this waste meets criteria for dangerous waste.

Disposal methods for used packing: reuse/recycling/liquidation of empty containers dispose in accordance with the local legislation. The classification of this waste meets criteria for dangerous waste.

Legal Basis: Directive 2008/98/EC, 94/62/EC.

Section 14: Transport information

14.1. UN number:**ADR:** UN 3144**IMDG:** UN 3144**ICAO:** UN 3144**14.2. UN proper shipping name:****ADR:** NICOTINE PREPARATION, LIQUID, N.O.S. (CUSTARD E-Liquid with 20 mg/mL nicotine)**IMDG:** NICOTINE PREPARATION, LIQUID, N.O.S. (CUSTARD E-Liquid with 20 mg/mL nicotine)**ICAO:** NICOTINE PREPARATION, LIQUID, N.O.S. (CUSTARD E-Liquid with 20 mg/mL nicotine)**14.3. Transport hazard class(es):****ADR:** Class 6.1: Toxic substances**IMDG class:** Class 6.1: Toxic substances**ICAO class:** Class 6.1: Toxic substances**Transport pictograms on the label:****14.4. Packing group:****ADR:** III**IMDG:** III**ICAO:** III**14.5. Environmental hazards:**

Not available

14.6. Special precautions for user:

Move carefully to prevent leakage during carriage. Keep necessary protective articles at hand in case of accident.

Use emergency escape mask when in need.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code":

Not available

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Text with EEA relevance).

Regulation (EU) 2020/1435 of 9 October 2020 on the duties placed on registrants to update their registrations under Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation,

Authorization and Restriction of Chemicals (REACH) (Text with EEA relevance).

Regulation (EU) 2018/605 of 19 April 2018 amending Annex II to Regulation (EC) No 1107/2009 by setting out scientific criteria for the determination of endocrine disrupting properties.

Regulation (EU) 2017/2100 of 4 September 2017 setting out scientific criteria for the determination of endocrine-disrupting properties pursuant to Regulation (EU) No 528/2012 of the European Parliament and Council.

Directive 2006/15/EC of 7 February 2006 establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC (Text with EEA relevance).

Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (Text with EEA relevance).

Directive 2009/161/EU of 17 December 2009 establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC.

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives.

European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste.

Economic commission for Europe Committee on Inland Transport ECE/TRANS/257(Vol. I) of applicable as from 1 January 2017 European Agreement concerning the International Carriage of Dangerous (ADR)

Convention concerning International Carriage by Rail (COTIF): Appendix C – Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) with effect from 1 January 2017.

Technical Instructions for the Safe Transport of Dangerous Goods by Air: Order Number: Doc 9284, 2017-2018 Edition.

15.2 Chemical safety assessment:

A Chemical Safety Assessment is not required for mixtures in accordance with REACH Regulation.

Section 16: Other information

16.1 Full text if indicated H phrases mentioned:

H225: Highly Flammable liquid and vapor

H226: Flammable liquid and vapour

H300: Fatal if swallowed

H302: Harmful if swallowed

H304: May be fatal if swallowed and enters airways

H310: Fatal in contact with skin

H314: Causes severe skin burns and eye damage

H315: Causes skin irritation

H317: May cause an allergic skin reaction

H318: Causes serious eye damage

H319: Causes serious eye irritation

H330: Fatal if inhaled

H400: Very toxic to aquatic life

H410 : Very toxic to aquatic life with long lasting effects

H411: Toxic to aquatic life with long lasting effects

Clarifications of aberrations and acronyms

Acute Tox. 2, 3, 4: Acute toxicity, Category 2, 3, 4

Aquatic Chronic 1, 2: Hazardous to the aquatic environment, long-term hazard, Category 1, 2.

Eye Dam.1: Causes serious eye damage, Category 1.

Flam. Liq. 2, 3, 4: Flammable liquid, Category 2, 3, 4.

Skin Irrit.2: Causes skin irritation, Category 2.

Skin Sens. 1B: May cause an allergic skin reaction, Category 1B.

STOT SE 3: May cause respiratory irritation, Category 3.

Aquatic Chronic 2: Toxic to aquatic life with long lasting effects, Category 2.

Asp. Tox.1: Fatal in contact with skin, Category 1.

PBT: Persistent, Bioaccumulative and Toxic substance

vPvB: very Persistent, very Bioaccumulative substance

OECD: Organisation for Economic Co-operation and Development

OEL value: Occupational exposure limit value

LC50: Median Lethal concentration

LD50: Median Lethal dose

ATEmix: Acute Toxicity Estimate of mixture

bw: body weight

LoW: List of Wastes

Trainings:

Before commencing working with the product, the user should learn the Health & Safety regulations, regarding handling chemicals, and in particular, undergo a proper workplace training.

Key literature references and sources for data:

This SDS was prepared on the basis of sheets of the individual components, literature data, online databases (eg. ECHA) as well as our knowledge and experience, taking into account current legislation.

Methods of evaluating information which was used for the purpose of classification acc. Regulation (EC) No 1272/2008

Acute Tox. 3 (H301): calculation method

Methods of evaluating information which was used for the purpose of transport acc. ECE/TRANS/242 (Vol.I):

Calculation method

Other data

Purity of the ingredients present in Section 3 is > 98%, and does not affect the classification.

Date of update: 04/05/2024

Version: 1.3

Modifications: Section 3

Composed by:Zhang (on the basis of Central in China data)

THIS SDS ANNULS AND REPLEACES ALL PREVIOUS VERSIONS

DISCLAIMER OF LIABILITY

The information in this MSDS/SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product, This MSDS/SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS/SDS information may not be applicable.