



Printing date 19.07.2023

Version number 1

Report No.: ELE2307C10982

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: ELFBAR ELFA PRO Blue Sour Raspberry 0 mg/ml

· Trade Mark: ELFBAR

· Flavour: Blue Sour Raspberry · Nicotine Conc.: 0 mg/ml

· **UFI**: 0A5Y-CDXS-1H19-EKE0

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Application of the substance / the mixture E-liquid used in E-cigarette

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Imiracle (ShenZhen) Technology Co., Ltd

Room 1606, Office Building T5, Qianhai China Resources Financial Center, No. 5035 Menghai Avenue,

Nanshan Subdistrict, Qianhai Shenzhen-Hongkong Cooperation Zone, Shenzhen, China

Contact: Nash

Tel:+86 (0)755-29875010 Email: nash.cui@heavengifts.com

· Further information obtainable from: Imiracle (ShenZhen) Technology Co., Ltd

· 1.4 Emergency telephone number:

Contact: Nash

Tel:+86 (0)755-29875010

GERMANY

Poison Center Berlin - Institute of Toxicology

Tel: +49 030 192 40

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008
 The product is not classified, according to the CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the Globally Harmonised System (GHS).

- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

CAS: 57-55-6 Propylene glycol

EINECS: 200-338-0 substance with a Community workplace exposure limit

50.51%

(Contd. on page 2)





Printing date 19.07.2023 Version number 1 Report No.: ELE2307C10982

Trade name: ELFBAR ELFA PRO Blue Sour Raspberry 0 mg/ml

				(Contd. o	
CAS: 56-81-5	glycerol		1		40.0%
EINECS: 200-289-5	substance with a Comm	nunity workplace exp	posure limit		
CAS: 105-54-4	ethyl butyrate				1.59%
EINECS: 203-306-4	🚸 Flam. Liq. 3, H226	; ᡧ Eye Irrit. 2, H3	19		
CAS: 64-19-7	acetic acid				1.12%
EINECS: 200-580-7	♦ Flam. Liq. 3, H226 Specific concentration	limits: Skin Corr. 1A Skin Corr. 1E Skin Irrit. 2;	4; H314: C ≥ 90 9 3; H314: 25 % ≤ 9 H315: 10 % ≤ C	C < 90 % < 25 %	
		Eye Irrit. 2; I	H319: 10 % ≤ C ≤	< 25 %	
CAS: 51115-67-4	2-Isopropyl-N,2,3-trim				1.0%
EINECS: 256-974-4	♠ Acute Tox. 4, H302) :			
Non-hazardous com	ponents				
CAS: 102-76-1	(tri-)Acetin			R	2.279
EINECS: 203-051-9	(iri)Acciiii				2.2//
CAS: 5471-51-2 EINECS: 226-806-4	4-(p-Hydroxypheny	l)-2-butanone			0.569
CAS: 4940-11-8	Ethyl maltol	KN		KN	0.459
EINECS: 225-582-5	Acute Tox. 4, H3	302			
CAS: 928-96-1	cis-3-Hexenol				0.429
EINECS: 213-192-8		226; () Eye Irrit. 2, 1	H319		
CAS: 123-92-2	isopentyl acetate		E N		0.3%
EINECS: 204-662-3	Flam. Liq. 3, H2	226 EUH066			
CAS: 89-78-1	menthol	20, 2011000			0.269
EINECS: 201-939-0		15; Eye Irrit. 2, H31	Q		0.207
CAS: 121-33-5	vanillin	10, 13,0 17,00, 2, 1101,			0.249
EINECS: 204-465-2	1 Eye Irrit. 2, H31	10		KN	0.277
CAS: 116-53-0	2-methylbutyric acid		''s	Town 1	0.189
EINECS: 204-145-2		H314; Eye Dam. 1, H	7318; ၺ Acute Tox	c. 4, H302; Acute	- 0.107
CAS: 14901-07-6	beta-Ionone	KN	EA		0.179
EINECS: 238-969-9	Aquatic Chronic	2, H411		ı	
CAS: 141-78-6	ethyl acetate				0.169
EINECS: 205-500-4	🕸 Flam. Liq. 2, H2	225; ᡧ Eye Irrit. 2, 1	H319; STOT SE 3,	H336, EUH066	1
CAS: 706-14-9	gamma-Decalacton				0.149
EINECS: 211-892-8					
CAS: 109-60-4	propyl acetate	T.		T.	0.119
EINECS: 203-686-1		225; ᡧ Eye Irrit. 2, 1	H319; STOT SE 3,	H336, EUH066	1
CAS: 134-20-3	methyl anthranilate	• •			0.119
EINECS: 205-132-4	🕩 Eye Irrit. 2, H31	19	RN)	KI
CAS: 627-69-0 EC number: 613-080	1,2-propanediol-1-a	acetate	T.		0.119
CAS: 79-09-4	propionic acid				0.1%
EINECS: 201-176-3	Skin Corr. 1B, E. Specific concentrati	ion limits: Skin Corr. Skin Irrit. Eye Irrit. 2	. 1B; H314: C ≥ 2 2; H315: 10 % ≤ 2; H319: 10 % ≤ 3; H335: C ≥ 10 !	C < 25 % C < 25 %	



Printing date 19.07.2023 Version number 1 Report No.: ELE2307C10982

Trade name: ELFBAR ELFA PRO Blue Sour Raspberry 0 mg/ml

K	KN	KN	Contd. of page 2)
CAS: 118-71-8	Maltol		0.1%
EINECS: 204-271-8	♦ Acute Tox. 4, H302		
CAS: 554-12-1	methyl propionate		0.1%
EINECS: 209-060-4	🚸 Flam. Liq. 2, H225; 🄇	Acute Tox. 4, H332	

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters

Mouth respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Avoid contact with eyes.

Avoid contact with skin.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

EU





Printing date 19.07.2023 Version number 1 Report No.: ELE2307C10982

Trade name: ELFBAR ELFA PRO Blue Sour Raspberry 0 mg/ml

(Contd. of page 3)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

No special measures required.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

S	2	CI	I	0	Λ	7 8	8: 1	Ex_{j}	posure	control	S/	personal	protection
---	---	----	---	---	---	-----	------	----------	--------	---------	----	----------	------------

· 8.1 Control parameters

	t values that require monitoring at the	workplace.	
57-55-6 Propylene gi			
MAK (Germany)	als Dampf und Aerosol;vgl.Abschn.IIb		
WEL (Great Britain)	Long-term value: 474* 10** mg/m³, 1. *total vapour and particulates **parti	4.4	
56-81-5 glycerol			II.
VL (Belgium)	Long-term value: 10 mg/m³ (brouillard)		
AGW (Germany)	Long-term value: 200 E mg/m³ 2 (I);DFG, Y		
VLEP (France)	Long-term value: 10 mg/m³		
WEL (Great Britain)	Long-term value: 10 mg/m³		
TWA (Greece)	Long-term value: 10 mg/m³		
64-19-7 acetic acid			
IOELV (EU)	Short-term value: 50 mg/m³, 20 ppm Long-term value: 25 mg/m³, 10 ppm		
MAK (Austria)	Short-term value: 50 mg/m³, 20 ppm Long-term value: 25 mg/m³, 10 ppm		
VL (Belgium)	Short-term value: 38 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm		
AGW (Germany)	Long-term value: 25 mg/m³, 10 ppm 2(I);DFG, EU, Y		
VLEP (France)	Short-term value: 50 mg/m³, 20 ppm Long-term value: 25 mg/m³, 10 ppm		
WEL (Great Britain)	Short-term value: 50 mg/m³, 20 ppm Long-term value: 25 mg/m³, 10 ppm		
TWA (Greece)	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm		

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 5)





Printing date 19.07.2023 Version number 1 Report No.: ELE2307C10982

Trade name: ELFBAR ELFA PRO Blue Sour Raspberry 0 mg/ml

(Contd. of page 4)

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

Goggles recommended during refilling

- · Body protection:
- · Other

If this product contains ingredients with exposure limits, personal, workplace, or biological monitoring may be required to determine the effectiveness of ventilation or other control measures and/or the need to use respirators. Reference should be made to European Standard EN 689 for methods of assessing exposure to chemicals through inhalation and to national guides for methods of determining hazardous substances.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Physical state Fluid

· Colour: light brown

Odour: Blue Sour Raspberry
 Odour threshold: Data not available.
 Melting point/freezing point: Data not available.

Boiling point or initial boiling point and boiling

range Data not available.
Flammability Data not available.

· Lower and upper explosion limit

Lower:
Data not available.
Data not available.

· Flash point: >120°C

• **Decomposition temperature:** Data not available.

(Contd. on page 6)





Printing date 19.07.2023 Version number 1 Report No.: ELE2307C10982

3.97

Trade name: ELFBAR ELFA PRO Blue Sour Raspberry 0 mg/ml

(Contd. of page 5)

· pH at 20°C

· Viscosity:

· Kinematic viscosity Data not available. · Dynamic: Data not available.

·Solubility

· water: Data not available. · Partition coefficient n-octanol/water (log value) Data not available. · Vapour pressure: Data not available.

Density and/or relative density

· Density at 20°C: 1.1023 g/cm3 · Relative density Data not available. · Vapour density Data not available.

9.2 Other information

· Appearance:

· Form: Liquid

· Important information on protection of health and

environment, and on safety. Ignition temperature:

Product is not selfigniting. Data not available. · Explosive properties:

· Change in condition

· Evaporation rate Data not available.

· Information with regard to physical hazard classes

· Explosives Data not available. · Flammable gases Data not available.

· Aerosols Void

Data not available. · Oxidising gases Data not available. · Gases under pressure Data not available. · Flammable liquids Data not available. · Flammable solids Data not available. · Self-reactive substances and mixtures Data not available. · Pyrophoric liquids Data not available. · Pyrophoric solids Data not available.

· Self-heating substances and mixtures Data not available. · Substances and mixtures, which emit flammable gases in contact with water Data not available. · Oxidising liquids Data not available. · Oxidising solids Data not available. · Organic peroxides Data not available. Data not available. · Corrosive to metals Data not available. · Desensitised explosives

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 7)





Printing date 19.07.2023 Version number 1 Report No.: ELE2307C10982

Trade name: ELFBAR ELFA PRO Blue Sour Raspberry 0 mg/ml

(Contd. of page 6)

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met

ATE (A	cute Tox	xicity Estimates)			
Oral	LD50 .	50,000 mg/kg			
57-55-6	Propyle	ene glycol			
Oral	LD50 .	2,000 mg/kg (rat)			
Dermal	LD50 .	20,800 mg/kg (rabbit)			
56-81-5	glycero	I			
Oral	LD50	12,600 mg/kg (rat)			
105-54-	4 ethyl l	butyrate			
Oral	LD50	13,000 mg/kg (rat)	KN	KN	
64-19-7	acetic a	ıcid	Tana a		
Oral	LD50	3,310 mg/kg (rat)			

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

Dermal LD50 1,060 mg/kg (rabbit)

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 8)





Printing date 19.07.2023 Version number 1 Report No.: ELE2307C10982

Trade name: ELFBAR ELFA PRO Blue Sour Raspberry 0 mg/ml

(Contd. of page 7)

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

not regulated

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · European waste catalogue

HP4 Irritant - skin irritation and eye damage

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: 1	ransport informatio	on

· 14.1 UN number or ID n	umber
--------------------------	-------

· ADR, IMDG, IATA not regulated

· 14.2 UN proper shipping name

· ADR, IMDG, IATA

· 14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

· Class not regulated

· 14.4 Packing group

· ADR, IMDG, IATA not regulated

· 14.5 Environmental hazards: Not applicable.

• 14.6 Special precautions for user Not applicable.

· 14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

· UN "Model Regulation": not regulated

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

(Contd. on page 9)





Printing date 19.07.2023 Version number 1 Report No.: ELE2307C10982

Trade name: ELFBAR ELFA PRO Blue Sour Raspberry 0 mg/ml

(Contd. of page 8)

REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57 None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

In addition, transport information of Section 14 in the report was calculated theoretically, while the results are not always consistent with Certification for Safe Transport of Chemical Goods from the officially authorized agencies. Please consult the officially authorized agencies for the accurate transport information.

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H336 May cause drowsiness or dizziness.
- H411 Toxic to aquatic life with long lasting effects.
- EUH066 Repeated exposure may cause skin dryness or cracking.

Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Organization issuing SDS:

Shenzhen Element Testing Co., Ltd.

101 of Plant 4 & 401 of Plant 2, No. 76, Longlingbei Rd, Pingxi, Pingdi St, Longgang Dist, Shenzhen, 518117, China

(Contd. on page 10)





Printing date 19.07.2023 Version number 1 Report No.: ELE2307C10982

Trade name: ELFBAR ELFA PRO Blue Sour Raspberry 0 mg/ml

(Contd. of page 9)

EU

Contact:

Noel Yin

Email: info@element-testing.com

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Irrit. 2: Serious eye damage/eye irritation – Category 2